

APPENDIX A

**LABORATORY ANALYTICAL RESULTS OF 2007 AERATED MUD
SAMPLING AND RINSE MUD SAMPLING EFFORTS**

argon laboratories

10 October 2007

ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

RE: ConAgra Aerated Pond Project Data

Enclosed are the results for sample(s) received on 09/28/07 16:00 by Argon Laboratories. The sample(s) were analyzed according to instructions in accompanying chain of custody. Results are summarized on the following pages.

Please see quality control report for a summary of QC data pertaining to this project.

The sample(s) will be stored for 30 days after completion of analysis, then disposed of in accordance with State and Federal regulations. Sample(s) may be archived by prior arrangement.

Thank you for the opportunity to service the needs of your company.

Sincerely,


Hiram Cheto
Lab Manager

Chain of Custody

Project No. 102-11	Project Name: <i>Coulter Irrigated Pond</i>	Page 1 of 1			Report To: Dunn Environmental, Inc 5060 Robert J. Matthews, #2 El Dorado Hills, Ca 95762 916-941-3850 Phone 916-941-3860 Fax																																																	
		Remarks																																																				
Sampler (Signature) <i>[Signature]</i>	Date	Time	Water	Soil	Other	Sampling Location																																																
Sample Identification Number <i>4468 002</i>	9/27/07		X																																																			
<i>4468 001</i>	9/27/07		X																																																			
<i>4468 004</i>	9/27/07		X																																																			
<i>4468 005</i>	9/27/07		X																																																			
No. of Containers																																																						
Parameters																																																						
Arsenic (HCO3 extractable)																																																						
Available P (HCO3 extractable, Bray 1, Olsen and IN NH4OAc)																																																						
TKN, Nitrate as Nitrogen, NH4 Nitrogen																																																						
Mn, Mo, Fe (DTPA extractable)																																																						
Soil Salinity Package																																																						
SMP Buffer pH																																																						
Alkaline Earth Carbonates																																																						
TOC																																																						
Soil Moisture																																																						
Cation Exchange Capacity																																																						
<i>*Run CAM 17 metals & reports Totals and DTPA Extractable method.</i>																																																						
Invoice To: Con-Agra Foods 554 S Yosemite Oakdale, CA 95361																																																						
Copy To: Dunn Environmental																																																						
<table border="0"> <tr> <td>Released By: <i>[Signature]</i></td> <td>(Signature)</td> <td>Date/Time 9/27/07 16:47</td> <td>Received By: <i>[Signature]</i></td> <td>(Signature)</td> <td>Date/Time 9/27/07 16:55</td> </tr> <tr> <td>Company Dunn Environmental</td> <td>(Print)</td> <td></td> <td>Company Melissa Broughton</td> <td>(Print)</td> <td></td> </tr> <tr> <td></td> <td>(Signature)</td> <td></td> <td>Received By: <i>[Signature]</i></td> <td>(Signature)</td> <td></td> </tr> <tr> <td></td> <td>(Print)</td> <td></td> <td>Company Dunn Environmental</td> <td>(Print)</td> <td></td> </tr> <tr> <td></td> <td>(Signature)</td> <td></td> <td>Received By: <i>[Signature]</i></td> <td>(Signature)</td> <td></td> </tr> <tr> <td></td> <td>(Print)</td> <td></td> <td>Company</td> <td>(Print)</td> <td></td> </tr> <tr> <td></td> <td>(Signature)</td> <td></td> <td>Received By: <i>[Signature]</i></td> <td>(Signature)</td> <td></td> </tr> <tr> <td></td> <td>(Print)</td> <td></td> <td>Company</td> <td>(Print)</td> <td></td> </tr> </table>							Released By: <i>[Signature]</i>	(Signature)	Date/Time 9/27/07 16:47	Received By: <i>[Signature]</i>	(Signature)	Date/Time 9/27/07 16:55	Company Dunn Environmental	(Print)		Company Melissa Broughton	(Print)			(Signature)		Received By: <i>[Signature]</i>	(Signature)			(Print)		Company Dunn Environmental	(Print)			(Signature)		Received By: <i>[Signature]</i>	(Signature)			(Print)		Company	(Print)			(Signature)		Received By: <i>[Signature]</i>	(Signature)			(Print)		Company	(Print)	
Released By: <i>[Signature]</i>	(Signature)	Date/Time 9/27/07 16:47	Received By: <i>[Signature]</i>	(Signature)	Date/Time 9/27/07 16:55																																																	
Company Dunn Environmental	(Print)		Company Melissa Broughton	(Print)																																																		
	(Signature)		Received By: <i>[Signature]</i>	(Signature)																																																		
	(Print)		Company Dunn Environmental	(Print)																																																		
	(Signature)		Received By: <i>[Signature]</i>	(Signature)																																																		
	(Print)		Company	(Print)																																																		
	(Signature)		Received By: <i>[Signature]</i>	(Signature)																																																		
	(Print)		Company	(Print)																																																		



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----


Work Order No.:
H709095

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Way 012	H709095-01	Soil	09/27/07 08:00	09/28/07 16:00
Way 011	H709095-02	Soil	09/27/07 08:00	09/28/07 16:00
Way 009	H709095-03	Soil	09/27/07 08:00	09/28/07 16:00
Way 005	H709095-04	Soil	09/27/07 08:00	09/28/07 16:00

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361


Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H709095

Alkalinity

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
Way 012 (H709095-01) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Total Alkalinity	320	10	mg/kg	1	06-Oct-07	SM2320	
Way 011 (H709095-02) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Total Alkalinity	360	10	mg/kg	1	06-Oct-07	SM2320	
Way 009 (H709095-03) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Total Alkalinity	200	10	mg/kg	1	06-Oct-07	SM2320	
Way 005 (H709095-04) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Total Alkalinity	500	10	mg/kg	1	06-Oct-07	SM2320	

Approved By
Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----


Work Order No.:
H709095

Ammonia as N

Analyte	Result	Reporting			Analyzed	Method	Notes
		Limit	Units	Dilution			
Way 012 (H709095-01) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Ammonia as N	ND	1.0	mg/kg	1	10-Oct-07	EPA 350.1	
Way 011 (H709095-02) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Ammonia as N	ND	1.0	mg/kg	1	10-Oct-07	EPA 350.1	
Way 009 (H709095-03) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Ammonia as N	ND	1.0	mg/kg	1	10-Oct-07	EPA 350.1	
Way 005 (H709095-04) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Ammonia as N	ND	1.0	mg/kg	1	10-Oct-07	EPA 350.1	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----


Work Order No.:
H709095

Anions by Ion Chromatography - EPA Method 300.0

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
Way 012 (H709095-01) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Nitrate as N	ND	2.0	mg/kg	1	04-Oct-07	EPA 300.0	
Way 011 (H709095-02) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Nitrate as N	ND	2.0	mg/kg	1	04-Oct-07	EPA 300.0	
Way 009 (H709095-03) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Nitrate as N	ND	2.0	mg/kg	1	04-Oct-07	EPA 300.0	
Way 005 (H709095-04) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Nitrate as N	ND	2.0	mg/kg	1	04-Oct-07	EPA 300.0	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H709095
---	--	----------------------------

Arsenic, HCO₃ Extractable

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
Way 012 (H709095-01) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Arsenic	ND	1.0	mg/kg	1	07-Oct-07	EPA 6020	
Way 011 (H709095-02) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Arsenic	ND	1.0	mg/kg	1	07-Oct-07	EPA 6020	
Way 009 (H709095-03) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Arsenic	ND	1.0	mg/kg	1	07-Oct-07	EPA 6020	
Way 005 (H709095-04) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Arsenic	ND	1.0	mg/kg	1	07-Oct-07	EPA 6020	


Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359

ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	 Work Order No.: H709095
---	--	---

Cation Exchange Capacity

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
Way 012 (H709095-01) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Cation Exchange Capacity	2.4	2.0	meq/100 g	1	09-Oct-07	-----	
Way 011 (H709095-02) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Cation Exchange Capacity	3.3	2.0	meq/100 g	1	09-Oct-07	-----	
Way 009 (H709095-03) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Cation Exchange Capacity	4.2	2.0	meq/100 g	1	09-Oct-07	-----	
Way 005 (H709095-04) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Cation Exchange Capacity	4.3	2.0	meq/100 g	1	09-Oct-07	-----	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H709095
---	--	----------------------------

DTPA Extractable Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	----------	--------	-------

Way 012 (H709095-01) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00

Antimony	ND	2.0	mg/kg	1	07-Oct-07	BPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	ND	2.0	"	"	"	"	
Iron	48	20	"	"	"	"	
Lead	ND	1.0	"	"	"	"	
Manganese	22	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	ND	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	ND	1.0	"	"	"	"	
Zinc	ND	5.0	"	"	"	"	


Way 011 (H709095-02) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00

Antimony	ND	2.0	mg/kg	1	07-Oct-07	BPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	ND	2.0	"	"	"	"	
Iron	220	20	"	"	"	"	
Lead	3.2	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	ND	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.2	1.0	"	"	"	"	
Zinc	ND	5.0	"	"	"	"	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359

ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----




Work Order No.:
H709095

DTPA Extractable Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
Way 009 (H709095-03) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Antimony	ND	2.0	mg/kg	1	07-Oct-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	ND	2.0	"	"	"	"	
Iron	330	20	"	"	"	"	
Lead	3.1	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	1.6	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.3	1.0	"	"	"	"	
Zinc	5.6	5.0	"	"	"	"	
Way 005 (H709095-04) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Antimony	ND	2.0	mg/kg	1	07-Oct-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	ND	2.0	"	"	"	"	
Iron	290	20	"	"	"	"	
Lead	2.3	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	ND	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.0	1.0	"	"	"	"	
Zinc	ND	5.0	"	"	"	"	

Approved By
Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H709095
---	--	----------------------------

Flashpoint

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
Way 012 (H709095-01) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
% Moisture	38	0.10	°C	1	05-Oct-07	1010	
Way 011 (H709095-02) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
% Moisture	33	0.10	°C	1	05-Oct-07	1010	
Way 009 (H709095-03) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
% Moisture	41	0.10	°C	1	05-Oct-07	1010	
Way 005 (H709095-04) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
% Moisture	43	0.10	°C	1	05-Oct-07	1010	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H709095
---	--	----------------------------

Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
Way 012 (H709095-01) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Antimony	ND	2.0	mg/kg	1	06-Oct-07	EPA 6020A	
Arsenic	1.2	1.0	"	"	"	"	
Barium	88	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	3.2	1.0	"	"	"	"	
Cobalt	4.8	1.0	"	"	"	"	
Copper	ND	2.0	"	"	"	"	
Lead	3.2	1.0	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	5.6	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	7.0	1.0	"	"	"	"	
Zinc	17	5.0	"	"	"	"	

Way 011 (H709095-02) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Antimony	ND	2.0	mg/kg	1	06-Oct-07	EPA 6020A	
Arsenic	1.3	1.0	"	"	"	"	
Barium	87	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	5.9	1.0	"	"	"	"	
Cobalt	3.7	1.0	"	"	"	"	
Copper	6.1	2.0	"	"	"	"	
Lead	12	1.0	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	1.2	1.0	"	"	"	"	
Nickel	18	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	6.4	1.0	"	"	"	"	
Zinc	45	5.0	"	"	"	"	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H709095


Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
Way 009 (H709095-03) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Antimony	ND	2.0	mg/kg	1	06-Oct-07	EPA 6020A	
Arsenic	1.9	1.0	"	"	"	"	
Barium	92	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	6.8	1.0	"	"	"	"	
Cobalt	3.4	1.0	"	"	"	"	
Copper	9.5	2.0	"	"	"	"	
Lead	12	1.0	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	1.0	1.0	"	"	"	"	
Nickel	20	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	6.4	1.0	"	"	"	"	
Zinc	56	5.0	"	"	"	"	

Way 005 (H709095-04) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Antimony	ND	2.0	mg/kg	1	06-Oct-07	EPA 6020A	
Arsenic	1.5	1.0	"	"	"	"	
Barium	90	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	7.8	1.0	"	"	"	"	
Cobalt	3.6	1.0	"	"	"	"	
Copper	8.6	2.0	"	"	"	"	
Lead	10	1.0	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	1.0	1.0	"	"	"	"	
Nickel	19	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	6.2	1.0	"	"	"	"	
Zinc	58	5.0	"	"	"	"	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H709095
---	--	----------------------------

Phosphorous

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
Way 012 (H709095-01) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Phosphorous as P - Olsen Method	0.2	0.2	mg/kg	1	05-Oct-07	-----	
Phosphorous as P - Bray Method	ND	0.2	"	"	"	"	
Way 011 (H709095-02) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Phosphorous as P - Olsen Method	0.4	0.2	mg/kg	1	05-Oct-07	-----	
Phosphorous as P - Bray Method	0.2	0.2	"	"	"	"	
Way 009 (H709095-03) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Phosphorous as P - Olsen Method	ND	0.2	mg/kg	1	05-Oct-07	-----	
Phosphorous as P - Bray Method	0.8	0.2	"	"	"	"	
Way 005 (H709095-04) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Phosphorous as P - Olsen Method	ND	0.2	mg/kg	1	05-Oct-07	-----	
Phosphorous as P - Bray Method	1.0	0.2	"	"	"	"	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H709095
---	--	----------------------------

SMP Buffer pH

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
Way 012 (H709095-01) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
pH	7.4		pH Units	1	10-Oct-07	-----	
Way 011 (H709095-02) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
pH	7.6		pH Units	1	10-Oct-07	-----	
Way 009 (H709095-03) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
pH	7.6		pH Units	1	10-Oct-07	-----	
Way 005 (H709095-04) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
pH	7.7		pH Units	1	10-Oct-07	-----	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H709095
---	--	----------------------------

Soil Salinity

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
Way 012 (H709095-01) Soil	Sampled: 27-Sep-07 08:00		Received: 28-Sep-07 16:00				P-01
Specific conductance	320	5.0	uS/cm	1	10-Oct-07	EPA 120.1	
Way 011 (H709095-02) Soil	Sampled: 27-Sep-07 08:00		Received: 28-Sep-07 16:00				P-01
Specific conductance	530	5.0	uS/cm	1	10-Oct-07	EPA 120.1	
Way 009 (H709095-03) Soil	Sampled: 27-Sep-07 08:00		Received: 28-Sep-07 16:00				P-01
Specific conductance	1200	5.0	uS/cm	1	10-Oct-07	EPA 120.1	
Way 005 (H709095-04) Soil	Sampled: 27-Sep-07 08:00		Received: 28-Sep-07 16:00				P-01
Specific conductance	2500	5.0	uS/cm	1	10-Oct-07	EPA 120.1	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H709095

Total Kjeldahl Nitrogen by EPA 351.2

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
Way 012 (H709095-01) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Total Kjeldahl Nitrogen	60	5.0	mg/kg	1	05-Oct-07	351.2	
Way 011 (H709095-02) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Total Kjeldahl Nitrogen	180	5.0	mg/kg	1	05-Oct-07	351.2	
Way 009 (H709095-03) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Total Kjeldahl Nitrogen	390	5.0	mg/kg	1	05-Oct-07	351.2	
Way 005 (H709095-04) Soil Sampled: 27-Sep-07 08:00 Received: 28-Sep-07 16:00							
Total Kjeldahl Nitrogen	460	5.0	mg/kg	1	05-Oct-07	351.2	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Acreated Pond Project Manager: -----	Work Order No.: H709095
---	---	----------------------------

Total Organic Carbon

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
Way 012 (H709095-01) Soil	Sampled: 27-Sep-07 08:00	Received: 28-Sep-07 16:00					
Total Organic Carbon	1000	200	mg/kg	1	05-Oct-07	SM5310B	
Way 011 (H709095-02) Soil	Sampled: 27-Sep-07 08:00	Received: 28-Sep-07 16:00					
Total Organic Carbon	17000	200	mg/kg	1	05-Oct-07	SM5310B	
Way 009 (H709095-03) Soil	Sampled: 27-Sep-07 08:00	Received: 28-Sep-07 16:00					
Total Organic Carbon	16000	200	mg/kg	1	05-Oct-07	SM5310B	
Way 005 (H709095-04) Soil	Sampled: 27-Sep-07 08:00	Received: 28-Sep-07 16:00					
Total Organic Carbon	18000	200	mg/kg	1	05-Oct-07	SM5310B	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H709095


Alkalinity - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%RBC Limits	RPD	RPD Limit	Notes
Batch HQJ0087 - General Prep										
Blank (HQJ0087-BLK1) Prepared & Analyzed: 10/06/07										
Total Alkalinity	ND	10	mg/kg							
LCS (HQJ0087-BS1) Prepared & Analyzed: 10/06/07										
Total Alkalinity	100		mg/kg	100	100	100	80-120			
LCS Dup (HQJ0087-BSD1) Prepared & Analyzed: 10/06/07										
Total Alkalinity	100		mg/kg	100	100	100	80-120	0	20	
Matrix Spike (HQJ0087-MS1) Source: H709095-01 Prepared & Analyzed: 10/06/07										
Total Alkalinity	420		mg/kg	100	320	100	70-130			
Matrix Spike Dup (HQJ0087-MSD1) Source: H709095-01 Prepared & Analyzed: 10/06/07										
Total Alkalinity	420		mg/kg	100	320	100	70-130	0	20	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H709095
---	--	----------------------------

Ammonia as N - Quality Control


Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQJ0086 - General Prep

Blank (HQJ0086-BLK1)				Prepared: 10/04/07 Analyzed: 10/10/07						
Ammonia as N	ND	1.0	mg/kg							
LCS (HQJ0086-BS1)				Prepared: 10/04/07 Analyzed: 10/10/07						
Ammonia as N	3.60		mg/kg	4.00		90	80-120			
LCS Dup (HQJ0086-BSD1)				Prepared: 10/04/07 Analyzed: 10/10/07						
Ammonia as N	4.20		mg/kg	4.00		105	80-120	15	20	

Approved By
Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager:	Work Order No.: H709095
---	--	----------------------------


Anions by Ion Chromatography - EPA Method 300.0 - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch HQJ0084 - General Prep										
Blank (HQJ0084-BLK1) Prepared & Analyzed: 10/04/07										
Nitrate as N	ND	2.0	mg/kg							
LCS (HQJ0084-BS1) Prepared & Analyzed: 10/04/07										
Nitrate	8.8		mg/kg	10.0		88	80-120			
LCS Dup (HQJ0084-BSD1) Prepared & Analyzed: 10/04/07										
Nitrate	8.5		mg/kg	10.0		85	80-120	3	20	
Matrix Spike (HQJ0084-MS1) Source: H710006-08 Prepared & Analyzed: 10/04/07										
Nitrate	8.6		mg/kg	10.0	ND	86	80-120			
Matrix Spike Dup (HQJ0084-MSD1) Source: H710006-08 Prepared & Analyzed: 10/04/07										
Nitrate	8.7		mg/kg	10.0	ND	87	80-120	1	20	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H709095
---	--	----------------------------

Arsenic, HCO3 Extractable - Quality Control


Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%RBC	%RBC Limits	RPD	RPD Limit	Notes
Batch HQJ0094 - EPA 3050B										
Blank (HQJ0094-BLK1)										
Prepared & Analyzed: 10/07/07										
Arsenic	ND	1.0	mg/kg							
LCS (HQJ0094-BS1)										
Prepared & Analyzed: 10/07/07										
Arsenic	10		mg/kg	10.0		100	80-120			
LCS Dup (HQJ0094-BSD1)										
Prepared & Analyzed: 10/07/07										
Arsenic	9.6		mg/kg	10.0		96	80-120	4	20	
Matrix Spike (HQJ0094-MS1)										
Source: H709095-01										
Prepared & Analyzed: 10/07/07										
Arsenic	12		mg/kg	10.0	ND	120	70-130			
Matrix Spike Dup (HQJ0094-MSD1)										
Source: H709095-01										
Prepared & Analyzed: 10/07/07										
Arsenic	12		mg/kg	10.0	ND	120	70-130	0	20	

Approved By
Argon Laboratories, Inc. California D.O.H.S. Cert. #2359

argon laboratories

2905 Railroad Ave. Ceres, CA 95307 (209)581-9280 Fax (209)581-9282



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H709095

Cation Exchange Capacity - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQJ0092 - General Prep

Blank (HQJ0092-BLK1)

Prepared & Analyzed: 10/09/07


Cation Exchange Capacity

ND

2.0 meq/100 g

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H709095
---	--	----------------------------

DTPA Extractable Metals - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------


Batch HQJ0093 - DTPA Extractable

Blank (HQJ0093-BLK1)				Prepared & Analyzed: 10/07/07						
Antimony	ND	2.0	mg/kg							
Arsenic	ND	1.0	"							
Barium	ND	5.0	"							
Beryllium	ND	1.0	"							
Cadmium	ND	1.0	"							
Chromium	ND	1.0	"							
Cobalt	ND	1.0	"							
Copper	ND	2.0	"							
Iron	ND	20	"							
Lead	ND	1.0	"							
Manganese	ND	20	"							
Mercury	ND	0.10	"							
Molybdenum	ND	1.0	"							
Nickel	ND	1.0	"							
Selenium	ND	1.0	"							
Silver	ND	1.0	"							
Thallium	ND	1.0	"							
Vanadium	ND	1.0	"							
Zinc	ND	5.0	"							

LCS (HQJ0093-BS1)				Prepared & Analyzed: 10/07/07			
Antimony	8.50		mg/kg	10.0	85	80-120	
Arsenic	8.60		"	10.0	86	80-120	
Barium	111		"	100	111	80-120	
Beryllium	10.2		"	10.0	102	80-120	
Cadmium	10.4		"	10.0	104	80-120	
Chromium	9.00		"	10.0	90	80-120	
Cobalt	8.20		"	10.0	82	80-120	
Copper	8.80		"	10.0	88	80-120	
Iron	100		"	100	100	80-120	
Lead	9.10		"	10.0	91	80-120	
Manganese	101		"	100	101	80-120	
Mercury	0.48		"	0.500	96	80-120	
Molybdenum	10.5		"	10.0	105	80-120	
Nickel	8.70		"	10.0	87	80-120	
Selenium	11.8		"	10.0	118	80-120	
Silver	9.70		"	10.0	97	80-120	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H709095
---	--	-----------------------------------

DTPA Extractable Metals - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQJ0093 - DTPA Extractable


Prepared & Analyzed: 10/07/07										
LCS (HQJ0093-BS1)										
Thallium	10.8		mg/kg	10.0		108	80-120			
Vanadium	8.60		"	10.0		86	80-120			
Zinc	93.0		"	100		93	80-120			

Prepared & Analyzed: 10/07/07										
LCS Dup (HQJ0093-BSD1)										
Antimony	8.30		mg/kg	10.0		83	80-120	2	20	
Arsenic	8.30		"	10.0		83	80-120	4	20	
Barium	115		"	100		115	80-120	4	20	
Beryllium	11.3		"	10.0		113	80-120	10	20	
Cadmium	10.6		"	10.0		106	80-120	2	20	
Chromium	10.0		"	10.0		100	80-120	11	20	
Cobalt	8.80		"	10.0		88	80-120	7	20	
Copper	8.50		"	10.0		85	80-120	3	20	
Iron	100		"	100		100	80-120	0	20	
Lead	9.00		"	10.0		90	80-120	1	20	
Manganese	100		"	100		100	80-120	1	20	
Mercury	0.60		"	0.500		120	80-120	22	20	
Molybdenum	10.3		"	10.0		103	80-120	2	20	
Nickel	8.20		"	10.0		82	80-120	6	20	
Selenium	10.4		"	10.0		104	80-120	13	20	
Silver	9.40		"	10.0		94	80-120	3	20	
Thallium	10.8		"	10.0		108	80-120	0	20	
Vanadium	9.70		"	10.0		97	80-120	12	20	
Zinc	106		"	100		106	80-120	13	20	

Prepared & Analyzed: 10/07/07										
Matrix Spike (HQJ0093-MS1)										
Source: H709095-01										
Antimony	8.00		mg/kg	10.0	ND	80	70-130			
Arsenic	8.50		"	10.0	ND	85	70-130			
Barium	87.6		"	100	2.6	85	70-130			
Beryllium	10.8		"	10.0	ND	108	70-130			
Cadmium	9.80		"	10.0	ND	98	70-130			
Chromium	8.80		"	10.0	0.20	86	70-130			
Cobalt	9.10		"	10.0	ND	91	70-130			
Copper	10.1		"	10.0	0.40	97	70-130			
Iron	138		"	100	48	90	70-130			
Lead	9.30		"	10.0	0.30	90	70-130			
Manganese	113		"	100	22	91	70-130			

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H709095
---	--	----------------------------

DTPA Extractable Metals - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------


Batch HQJ0093 - DTPA Extractable

Matrix Spike (HQJ0093-MS1)	Source: H709095-01	Prepared & Analyzed: 10/07/07						
Mercury	0.48	mg/kg	0.500	ND	96	70-130		
Molybdenum	8.00	"	10.0	ND	80	70-130		
Nickel	8.40	"	10.0	0.30	81	70-130		
Selenium	10.1	"	10.0	ND	101	70-130		
Silver	8.20	"	10.0	ND	82	70-130		
Thallium	10.3	"	10.0	ND	103	70-130		
Vanadium	9.10	"	10.0	0.30	88	70-130		
Zinc	93.0	"	100	ND	93	70-130		

Matrix Spike Dup (HQJ0093-MSD1)	Source: H709095-01	Prepared & Analyzed: 10/07/07						
Antimony	8.90	mg/kg	10.0	ND	89	70-130	11	20
Arsenic	8.40	"	10.0	ND	84	70-130	1	20
Barium	113	"	100	2.6	110	70-130	25	20
Beryllium	10.8	"	10.0	ND	108	70-130	0	20
Cadmium	10.7	"	10.0	ND	107	70-130	9	20
Chromium	8.90	"	10.0	0.20	87	70-130	1	20
Cobalt	8.90	"	10.0	ND	89	70-130	2	20
Copper	10.8	"	10.0	0.40	104	70-130	7	20
Iron	140	"	100	48	92	70-130	1	20
Lead	10.3	"	10.0	0.30	100	70-130	10	20
Manganese	113	"	100	22	91	70-130	0	20
Mercury	0.52	"	0.500	ND	104	70-130	8	20
Molybdenum	8.20	"	10.0	ND	82	70-130	2	20
Nickel	8.50	"	10.0	0.30	82	70-130	1	20
Selenium	9.90	"	10.0	ND	99	70-130	2	20
Silver	8.10	"	10.0	ND	81	70-130	1	20
Thallium	11.3	"	10.0	ND	113	70-130	9	20
Vanadium	9.30	"	10.0	0.30	90	70-130	2	20
Zinc	112	"	100	ND	112	70-130	19	20

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H709095

Metals - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQJ0080 - 3050B

Prepared: 10/05/07 Analyzed: 10/06/07

Blank (HQJ0080-BLK1)

Antimony	ND	2.0	mg/kg
Arsenic	ND	1.0	"
Barium	ND	5.0	"
Beryllium	ND	1.0	"
Cadmium	ND	1.0	"
Chromium	ND	1.0	"
Cobalt	ND	1.0	"
Copper	ND	2.0	"
Lead	ND	1.0	"
Mercury	ND	0.1	"
Molybdenum	ND	1.0	"
Nickel	ND	1.0	"
Selenium	ND	1.0	"
Silver	ND	1.0	"
Thallium	ND	1.0	"
Vanadium	ND	1.0	"
Zinc	ND	5.0	"


Prepared: 10/05/07 Analyzed: 10/06/07

LCS (HQJ0080-BS1)

Antimony	8.50	mg/kg	10.0	85	80-120
Arsenic	8.60	"	10.0	86	80-120
Barium	111	"	100	111	80-120
Beryllium	10.2	"	10.0	102	80-120
Cadmium	10.4	"	10.0	104	80-120
Chromium	9.00	"	10.0	90	80-120
Cobalt	8.20	"	10.0	82	80-120
Copper	8.80	"	10.0	88	80-120
Lead	9.10	"	10.0	91	80-120
Mercury	0.48	"	0.500	96	80-120
Molybdenum	10.5	"	10.0	105	80-120
Nickel	8.70	"	10.0	87	80-120
Selenium	11.8	"	10.0	118	80-120
Silver	9.70	"	10.0	97	80-120
Thallium	10.9	"	10.0	109	80-120
Vanadium	8.60	"	10.0	86	80-120
Zinc	93.0	"	100	93	80-120

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H709095

Metals - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQJ0080 - 3050B

LCS Dup (HQJ0080-BSD1)

Prepared: 10/05/07 Analyzed: 10/06/07

Antimony	8.30		mg/kg	10.0		83	80-120	2	20	
Arsenic	8.30		"	10.0		83	80-120	4	20	
Barium	115		"	100		115	80-120	4	20	
Beryllium	11.3		"	10.0		113	80-120	10	20	
Cadmium	10.6		"	10.0		106	80-120	2	20	
Chromium	10.0		"	10.0		100	80-120	11	20	
Cobalt	8.80		"	10.0		88	80-120	7	20	
Copper	8.50		"	10.0		85	80-120	3	20	
Lead	9.00		"	10.0		90	80-120	1	20	
Mercury	0.60		"	0.500		120	80-120	22	20	
Molybdenum	10.3		"	10.0		103	80-120	2	20	
Nickel	8.20		"	10.0		82	80-120	6	20	
Selenium	10.4		"	10.0		104	80-120	13	20	
Silver	9.40		"	10.0		94	80-120	3	20	
Thallium	10.8		"	10.0		108	80-120	0.9	20	
Vanadium	9.70		"	10.0		97	80-120	12	20	
Zinc	106		"	100		106	80-120	13	20	

Matrix Spike (HQJ0080-MS1)


Source: H710003-35

Prepared: 10/05/07 Analyzed: 10/06/07

Antimony	8.00		mg/kg	10.0	ND	80	70-130			
Arsenic	11.6		"	10.0	3.1	85	70-130			
Barium	131		"	100	46	85	70-130			
Beryllium	10.8		"	10.0	ND	108	70-130			
Cadmium	9.80		"	10.0	ND	98	70-130			
Chromium	13.4		"	10.0	4.8	86	70-130			
Cobalt	15.9		"	10.0	6.8	91	70-130			
Copper	12.1		"	10.0	2.4	97	70-130			
Lead	14.0		"	10.0	5.6	84	70-130			
Mercury	0.48		"	0.500	ND	96	70-130			
Molybdenum	8.90		"	10.0	0.90	80	70-130			
Nickel	27.3		"	10.0	19	83	70-130			
Selenium	10.1		"	10.0	ND	101	70-130			
Silver	8.20		"	10.0	ND	82	70-130			
Thallium	10.3		"	10.0	ND	103	70-130			
Vanadium	15.4		"	10.0	6.6	88	70-130			
Zinc	122		"	100	29	93	70-130			

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H709095

Metals - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQJ0080 - 3050B

Matrix Spike Dup (HQJ0080-MSD1)	Source: H710003-35			Prepared: 10/05/07		Analyzed: 10/06/07				
Antimony	8.90		mg/kg	10.0	ND	89	70-130	11	20	
Arsenic	11.5		"	10.0	3.1	84	70-130	0.9	20	
Barium	153		"	100	46	107	70-130	15	20	
Beryllium	10.8		"	10.0	ND	108	70-130	0	20	
Cadmium	10.7		"	10.0	ND	107	70-130	9	20	
Chromium	13.5		"	10.0	4.8	87	70-130	0.7	20	
Cobalt	15.7		"	10.0	6.8	89	70-130	1	20	
Copper	12.8		"	10.0	2.4	104	70-130	6	20	
Lead	15.9		"	10.0	5.6	103	70-130	13	20	
Mercury	0.52		"	0.500	ND	104	70-130	8	20	
Molybdenum	9.10		"	10.0	0.90	82	70-130	2	20	
Nickel	27.4		"	10.0	19	84	70-130	0.4	20	
Selenium	9.90		"	10.0	ND	99	70-130	2	20	
Silver	8.10		"	10.0	ND	81	70-130	1	20	
Thallium	11.3		"	10.0	ND	113	70-130	9	20	
Vanadium	15.6		"	10.0	6.6	90	70-130	1	20	
Zinc	146		"	100	29	117	70-130	18	20	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H709095

Phosphorous - Quality Control

Argon Laboratories

Analysis	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
----------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQJ0085 - General Prep

Blank (HQJ0085-BLK1)

Prepared & Analyzed: 10/05/07

Phosphorous as P - Olsen Method	ND	0.2	mg/kg							
Phosphorous as P - Bray Method	ND	0.2								

LCS (HQJ0085-BS1)

Prepared & Analyzed: 10/05/07

Total Phosphorous as P	10.0		mg/kg	10.0		100	80-120			
------------------------	------	--	-------	------	--	-----	--------	--	--	--


LCS Dup (HQJ0085-BSD1)

Prepared & Analyzed: 10/05/07

Total Phosphorous as P	10.2		mg/kg	10.0		102	80-120	2	20	
------------------------	------	--	-------	------	--	-----	--------	---	----	--

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H709095
---	--	----------------------------

SMP Buffer pH - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQJ0098 - General Prep

					Prepared & Analyzed: 10/10/07					
LCS (HQJ0098-BSI)										
pH	7.00		pH Units	7.00		100	95-105			

Approved By
Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H709095

Soil Salinity.- Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQJ0088 - General Prep


Prepared & Analyzed: 10/10/07

Blank (HQJ0088-BLK1)

Specific conductance ND 5.0 uS/cm

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



Work Order No.:
H709095

ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----

Total Kjeldahl Nitrogen by EPA 351.2 - Quality Control

Argon Laboratories


Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQJ0083 - General Prep

Blank (HQJ0083-DLK1)				Prepared & Analyzed: 10/05/07						
Total Kjeldahl Nitrogen	ND	5.0	mg/kg							
LCS (HQJ0083-BS1)				Prepared & Analyzed: 10/05/07						
Total Kjeldahl Nitrogen	10.4		mg/kg	10.0		104	80-120			
LCS Dup (HQJ0083-BSD1)				Prepared & Analyzed: 10/05/07						
Total Kjeldahl Nitrogen	10.4		mg/kg	10.0		104	80-120	0	20	

Approved By:

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA . 95361	Project Number: [none] Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H709095
---	--	----------------------------


Total Organic Carbon - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch HQJ0089 - General Prep										
Blank (HQJ0089-BLK1)										
Prepared & Analyzed: 10/05/07										
Total Organic Carbon	ND	200	mg/kg							
LCS (HQJ0089-BS1)										
Prepared & Analyzed: 10/05/07										
Total Organic Carbon	8200		mg/kg	8200		100	70-130			
LCS Dup (HQJ0089-BSD1)										
Prepared & Analyzed: 10/05/07										
Total Organic Carbon	8200		mg/kg	8200		100	70-130	0	20	
Matrix Spike (HQJ0089-MS1)										
Source: H709095-01 Prepared & Analyzed: 10/05/07										
Total Organic Carbon	8600		mg/kg	8200	1000	93	70-130			
Matrix Spike Dup (HQJ0089-MSD1)										
Source: H709095-01 Prepared & Analyzed: 10/05/07										
Total Organic Carbon	7910		mg/kg	8200	1000	84	70-130	8	20	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: [none]
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H709095

Notes and Definitions

- P-01 Conductivity result based on 1:10 dilution of soil/sludge sample matrix.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

Approved By
Argon Laboratories, Inc. California D.O.H.S. Cert. #2359

argon laboratories

08 November 2007

ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

RE: ConAgra Aerated Pond Project Data


Enclosed are the results for sample(s) received on 10/26/07 12:00 by Argon Laboratories. The sample(s) were analyzed according to instructions in accompanying chain-of-custody. Results are summarized on the following pages.

Please see quality control report for a summary of QC data pertaining to this project.

The sample(s) will be stored for 30 days after completion of analysis, then disposed of in accordance with State and Federal regulations. Sample(s) may be archived by prior arrangement.

Thank you for the opportunity to service the needs of your company.

Sincerely,



Hiram Cuelo
Lab Manager

Project No. 102-11
 Sampler (Signature) [Signature]
 Project Name: CONAGRA
 Accepted Pond Sediment (Print) YAT DUAN, JF
 MNO MACCLES

Sample Identification Number	Date	Time	No. of Containers			Remarks
			Water	Soil	Other	
WP-28	10/23/07	9:50	X		X	10-Ac Pond Sediment 718858
WP-30	10/23/07	9:50	X		X	Sediment 718859
WP-31	10/23/07	10:20	X		X	Sediment DTPAN 718861
WP-32	10/23/07	10:40	X		X	Sediment 718862
WP-43	"	11:10	X		X	" 718863
WP-47	"	11:20	X		X	" 718864
WP-48	"	11:50	X		X	" 718865
WP-53	"	12:20	X		X	" 718866
WP-59	"	12:40	X		X	" 718867
WP-61	"	13:00	X		X	" 718868
WP-64	"	13:15	X		X	" 718869
WP-65	"	13:30	X		X	" 718870
WP-66	"	14:44	X		X	" 718871
WP-67	"	15:18	X		X	" 718872
WP-72	"	15:20	X		X	"

Parameters: CAM 17 Metals, Zn, Mn, Fe, Cr, Cu, As, Co, SAR, Available P, Extractable K, pH, EC, TDS, TFS, Cl, Ca, Mg, Alkalinity Suite, TOC, Total N, Nitrate, TKN, Soil Moisture, Cation Exchange Capacity

Received By: [Signature] Date/Time: 10/23/07 16:00 Company: Dunn Env. Inc.

Received By: [Signature] Date/Time: 10/26/07 12:00 Company: Dunn Env. Inc.

Received By: [Signature] Date/Time: [] Company: []



ConAgra and Dunn Env.

Mr. Jeff Schultz
 ConAgra Foods, Inc
 554 S. Yosemite Way
 Oakdale CA, 95361

Argon Laboratories Sample Receipt Checklist

Client Name: ConAgra Date & Time Received: 10/26/07 12:00
Project Name: Aerated Pond Sediment Client Project Number: 102-11
Received By: AH Matrix: Water Soil Sludge
Sample Carrier: Client Laboratory Fed Ex UPS Other
Argon Labs Project Number: H710050
Shipper Container in good condition? N/A Yes No Samples received in proper containers? Yes No
Samples received under refrigeration? Yes No Samples received intact? Yes No
Chain of custody present? Yes No Sufficient sample volume for requested tests? Yes No
Chain of Custody signed by all parties? Yes No Samples received within holding time? Yes No
Do samples contain proper preservative? N/A Yes No
Chain of Custody matches all sample labels? Yes No Do VOA vials contain zero headspace? (None submitted) Yes No

ANY "No" RESPONSE MUST BE DETAILED IN THE COMMENTS SECTION BELOW

Date Client Contacted: _____ Person Contacted: _____

Contacted By: _____ Subject: _____

Comments:


Action Taken:


ADDITIONAL TEST(S) REQUEST / OTHER

Contacted By: _____ Date: _____ Time: _____

Call Received By: _____

Comments:




ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: _____
Work Order No.:
H710050

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
WP-28	H710050-01	Sludge	10/23/07 09:30	10/26/07 12:00
WP-30	H710050-02	Sludge	10/23/07 09:50	10/26/07 12:00
WP-31	H710050-03	Sludge	10/23/07 10:20	10/26/07 12:00
WP-32	H710050-04	Sludge	10/23/07 10:40	10/26/07 12:00
WP-43	H710050-05	Sludge	10/23/07 11:10	10/26/07 12:00
WP-47	H710050-06	Sludge	10/23/07 11:30	10/26/07 12:00
WP-48	H710050-07	Sludge	10/23/07 11:50	10/26/07 12:00
WP-53	H710050-08	Sludge	10/23/07 12:20	10/26/07 12:00
WP-59	H710050-09	Sludge	10/23/07 12:40	10/26/07 12:00
WP-61	H710050-10	Sludge	10/23/07 13:00	10/26/07 12:00
WP-64	H710050-11	Sludge	10/23/07 13:15	10/26/07 12:00
WP-65	H710050-12	Sludge	10/23/07 13:30	10/26/07 12:00
WP-66	H710050-13	Sludge	10/23/07 14:44	10/26/07 12:00
WP-67	H710050-14	Sludge	10/23/07 15:18	10/26/07 12:00
WP-72	H710050-15	Sludge	10/23/07 15:20	10/26/07 12:00

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager:	Work Order No.: H710050
---	--	----------------------------

Alkalinity

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	120	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	120	10	"	"	"	"	
WP-30 (H710050-02) Sludge Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	92	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	92	10	"	"	"	"	
WP-31 (H710050-03) Sludge Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	140	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	140	10	"	"	"	"	
WP-32 (H710050-04) Sludge Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	290	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	290	10	"	"	"	"	
WP-43 (H710050-05) Sludge Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	290	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	290	10	"	"	"	"	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	----------------------------

Alkalinity

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-47 (H710050-06) Sludge Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	210	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	210	10	"	"	"	"	
WP-48 (H710050-07) Sludge Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	270	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	270	10	"	"	"	"	
WP-53 (H710050-08) Sludge Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	230	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	230	10	"	"	"	"	
WP-59 (H710050-09) Sludge Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	310	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	310	10	"	"	"	"	
WP-61 (H710050-10) Sludge Sampled: 23-Oct-07 13:00 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	160	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	160	10	"	"	"	"	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager:	Work Order No.: H710050
---	--	----------------------------

Alkalinity

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-64 (H710050-11) Sludge Sampled: 23-Oct-07 13:15 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	56	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	56	10	"	"	"	"	
WP-65 (H710050-12) Sludge Sampled: 23-Oct-07 13:30 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	170	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	170	10	"	"	"	"	
WP-66 (H710050-13) Sludge Sampled: 23-Oct-07 14:44 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	230	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	230	10	"	"	"	"	
WP-67 (H710050-14) Sludge Sampled: 23-Oct-07 15:18 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	160	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	160	10	"	"	"	"	
WP-72 (H710050-15) Sludge Sampled: 23-Oct-07 15:20 Received: 26-Oct-07 12:00							
Carbonate Alkalinity	ND	5.0	mg/kg	1	30-Oct-07	SM2320	
Bicarbonate Alkalinity	98	5.0	"	"	"	"	
Hydroxide Alkalinity	ND	5.0	"	"	"	"	
Total Alkalinity	98	10	"	"	"	"	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	----------------------------

Anions by Ion Chromatography - EPA Method 300.0

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00							
Chloride	94	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	4.7	1.0	"	"	"	"	
WP-30 (H710050-02) Sludge Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00							
Chloride	86	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	2.8	1.0	"	"	"	"	
WP-31 (H710050-03) Sludge Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00							
Chloride	57	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	ND	1.0	"	"	"	"	
WP-32 (H710050-04) Sludge Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00							
Chloride	88	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	2.9	1.0	"	"	"	"	
WP-43 (H710050-05) Sludge Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00							
Chloride	88	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	1.9	1.0	"	"	"	"	
WP-47 (H710050-06) Sludge Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00							
Chloride	47	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	2.2	1.0	"	"	"	"	
WP-48 (H710050-07) Sludge Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00							
Chloride	63	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	1.6	1.0	"	"	"	"	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager:	Work Order No.: H710050
---	--	----------------------------


Anions by Ion Chromatography - EPA Method 300.0

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-53 (H710050-08) Sludge Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00							
Chloride	95	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	1.9	1.0	"	"	"	"	
WP-59 (H710050-09) Sludge Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00							
Chloride	93	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	3.2	1.0	"	"	"	"	
WP-61 (H710050-10) Sludge Sampled: 23-Oct-07 13:00 Received: 26-Oct-07 12:00							
Chloride	55	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	2.2	1.0	"	"	"	"	
WP-64 (H710050-11) Sludge Sampled: 23-Oct-07 13:15 Received: 26-Oct-07 12:00							
Chloride	91	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	3.0	1.0	"	"	"	"	
WP-65 (H710050-12) Sludge Sampled: 23-Oct-07 13:30 Received: 26-Oct-07 12:00							
Chloride	75	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	2.0	1.0	"	"	"	"	
WP-66 (H710050-13) Sludge Sampled: 23-Oct-07 14:44 Received: 26-Oct-07 12:00							
Chloride	88	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	2.0	1.0	"	"	"	"	
WP-67 (H710050-14) Sludge Sampled: 23-Oct-07 15:18 Received: 26-Oct-07 12:00							
Chloride	110	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	1.5	1.0	"	"	"	"	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359

argon laboratories

2905 Railroad Ave. Ceres, CA 95307 (209)581-9280 Fax (209)581-9282



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager:


Work Order No.:
H710050

Anions by Ion Chromatography - EPA Method 300.0

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WF-72 (H710050-15) Sludge Sampled: 23-Oct-07 15:20 Received: 26-Oct-07 12:00							
Chloride	66	10	mg/kg	1	05-Nov-07	EPA 300.0	
Nitrate	7.1	1.0	"	"	"	"	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	----------------------------

Cation Exchange Capacity

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	90	2.0	meq/100 g	1	07-Nov-07	-----	
WP-30 (H710050-02) Sludge Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	80	2.0	meq/100 g	1	07-Nov-07	-----	
WP-31 (H710050-03) Sludge Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	80	2.0	meq/100 g	1	07-Nov-07	-----	
WP-32 (H710050-04) Sludge Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	60	2.0	meq/100 g	1	07-Nov-07	-----	
WP-43 (H710050-05) Sludge Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	60	2.0	meq/100 g	1	07-Nov-07	-----	
WP-47 (H710050-06) Sludge Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	70	2.0	meq/100 g	1	07-Nov-07	-----	
WP-48 (H710050-07) Sludge Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	60	2.0	meq/100 g	1	07-Nov-07	-----	
WP-53 (H710050-08) Sludge Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	50	2.0	meq/100 g	1	07-Nov-07	-----	
WP-59 (H710050-09) Sludge Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	70	2.0	meq/100 g	1	07-Nov-07	-----	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	----------------------------

Cation Exchange Capacity

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-61 (H710050-10) Sludge Sampled: 23-Oct-07 13:00 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	50	2.0	meq/100 g	1	07-Nov-07	-----	
WP-64 (H710050-11) Sludge Sampled: 23-Oct-07 13:15 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	60	2.0	meq/100 g	1	07-Nov-07	-----	
WP-65 (H710050-12) Sludge Sampled: 23-Oct-07 13:30 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	60	2.0	meq/100 g	1	07-Nov-07	-----	
WP-66 (H710050-13) Sludge Sampled: 23-Oct-07 14:44 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	50	2.0	meq/100 g	1	07-Nov-07	-----	
WP-67 (H710050-14) Sludge Sampled: 23-Oct-07 15:18 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	70	2.0	meq/100 g	1	07-Nov-07	-----	
WP-72 (H710050-15) Sludge Sampled: 23-Oct-07 15:20 Received: 26-Oct-07 12:00							
Cation Exchange Capacity	80	2.0	meq/100 g	1	07-Nov-07	-----	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H710050

DTPA Extractable Metals


Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00							
Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	ND	2.0	"	"	"	"	
Iron	190	20	"	"	"	"	
Lead	3.9	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	1.9	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.3	1.0	"	"	"	"	
Zinc	13	5.0	"	"	"	"	

WP-30 (H710050-02) Sludge Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00

Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	ND	2.0	"	"	"	"	
Iron	300	20	"	"	"	"	
Lead	1.5	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	1.4	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.4	1.0	"	"	"	"	
Zinc	5.2	5.0	"	"	"	"	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Acreated Pond Project Manager: -----	Work Order No.: H710050
---	---	----------------------------

DTPA Extractable Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-31 (H710050-03) Sludge Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00							
Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	8.4	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	6.4	2.0	"	"	"	"	
Iron	220	20	"	"	"	"	
Lead	1.5	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	1.4	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	18	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.5	1.0	"	"	"	"	
Zinc	22	5.0	"	"	"	"	
WP-32 (H710050-04) Sludge Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00							
Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	4.7	2.0	"	"	"	"	
Iron	180	20	"	"	"	"	
Lead	1.3	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	ND	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.7	1.0	"	"	"	"	
Zinc	18	5.0	"	"	"	"	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Acreated Pond
Project Manager: -----

Work Order No.:
H710050


DTPA Extractable Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-43 (H710050-05) Sludge Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00							
Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	6.8	2.0	"	"	"	"	
Iron	140	20	"	"	"	"	
Lead	ND	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	ND	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.2	1.0	"	"	"	"	
Zinc	18	5.0	"	"	"	"	

WP-47 (H710050-06) Sludge Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00							
Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	5.2	2.0	"	"	"	"	
Iron	140	20	"	"	"	"	
Lead	1.1	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	1.5	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.3	1.0	"	"	"	"	
Zinc	22	5.0	"	"	"	"	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Acreated Pond
Project Manager:

Work Order No.:
H710050

DTPA Extractable Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	----------	--------	-------

WP-48 (H710050-07) Sludge Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00


Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	ND	2.0	"	"	"	"	
Iron	220	20	"	"	"	"	
Lead	1.1	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	1.0	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.2	1.0	"	"	"	"	
Zinc	5.5	5.0	"	"	"	"	

WP-53 (H710050-08) Sludge Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00

Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	ND	2.0	"	"	"	"	
Iron	260	20	"	"	"	"	
Lead	1.5	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	3.2	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.6	1.0	"	"	"	"	
Zinc	11	5.0	"	"	"	"	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	----------------------------


DTPA Extractable Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-59 (H710050-09) Sludge Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00							
Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	2.2	2.0	"	"	"	"	
Iron	140	20	"	"	"	"	
Lead	ND	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	ND	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	ND	1.0	"	"	"	"	
Zinc	9.5	5.0	"	"	"	"	

WP-61 (H710050-10) Sludge Sampled: 23-Oct-07 13:00 Received: 26-Oct-07 12:00							
Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	ND	2.0	"	"	"	"	
Iron	120	20	"	"	"	"	
Lead	1.1	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	1.0	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.4	1.0	"	"	"	"	
Zinc	7.0	5.0	"	"	"	"	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Acreated Pond Project Manager: _____	Work Order No.: H710050
---	---	----------------------------

DTPA Extractable Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	----------	--------	-------

WP-64 (H710050-11) Sludge Sampled: 23-Oct-07 13:15 Received: 26-Oct-07 12:00


Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	2.6	2.0	"	"	"	"	
Iron	250	20	"	"	"	"	
Lead	3.2	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	6.1	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.8	1.0	"	"	"	"	
Zinc	14	5.0	"	"	"	"	

WP-65 (H710050-12) Sludge Sampled: 23-Oct-07 13:30 Received: 26-Oct-07 12:00

Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	3.3	2.0	"	"	"	"	
Iron	240	20	"	"	"	"	
Lead	2.7	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	4.4	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	2.1	1.0	"	"	"	"	
Zinc	14	5.0	"	"	"	"	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	----------------------------

DTPA Extractable Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	----------	--------	-------

WP-66 (H710050-13) Sludge Sampled: 23-Oct-07 14:44 Received: 26-Oct-07 12:00


Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	ND	2.0	"	"	"	"	
Iron	210	20	"	"	"	"	
Lead	1.4	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	2.0	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.4	1.0	"	"	"	"	
Zinc	9.9	5.0	"	"	"	"	

WP-67 (H710050-14) Sludge Sampled: 23-Oct-07 15:18 Received: 26-Oct-07 12:00

Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	ND	2.0	"	"	"	"	
Iron	220	20	"	"	"	"	
Lead	1.6	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	1.7	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	1.5	1.0	"	"	"	"	
Zinc	5.6	5.0	"	"	"	"	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: _____	Work Order No.: H710050
---	--	----------------------------

DTPA Extractable Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	----------	--------	-------

WP-72 (H710050-15) Sludge Sampled: 23-Oct-07 15:20 Received: 26-Oct-07 12:00

Antimony	ND	2.0	mg/kg	1	07-Nov-07	EPA 6020A	
Arsenic	ND	1.0	"	"	"	"	
Barium	ND	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	ND	1.0	"	"	"	"	
Cobalt	ND	1.0	"	"	"	"	
Copper	ND	2.0	"	"	"	"	
Iron	440	20	"	"	"	"	
Lead	3.6	1.0	"	"	"	"	
Manganese	ND	20	"	"	"	"	
Mercury	ND	0.10	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	7.2	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	2.4	1.0	"	"	"	"	
Zinc	7.8	5.0	"	"	"	"	

Approved By
Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: _____


Work Order No.:
H710050

Extractable Potassium (K)

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge	Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00						
Potassium	440	20	mg/kg	1	07-Nov-07	EPA 7610	
WP-30 (H710050-02) Sludge	Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00						
Potassium	540	20	mg/kg	1	07-Nov-07	EPA 7610	
WP-31 (H710050-03) Sludge	Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00						
Potassium	430	20	mg/kg	1	07-Nov-07	EPA 7610	
WP-32 (H710050-04) Sludge	Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00						
Potassium	330	20	mg/kg	1	07-Nov-07	EPA 7610	
WP-43 (H710050-05) Sludge	Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00						
Potassium	330	20	mg/kg	1	07-Nov-07	EPA 7610	
WP-47 (H710050-06) Sludge	Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00						
Potassium	310	20	mg/kg	1	07-Nov-07	EPA 7610	
WP-48 (H710050-07) Sludge	Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00						
Potassium	300	20	mg/kg	1	07-Nov-07	EPA 7610	
WP-53 (H710050-08) Sludge	Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00						
Potassium	350	20	mg/kg	1	07-Nov-07	EPA 7610	
WP-59 (H710050-09) Sludge	Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00						
Potassium	330	20	mg/kg	1	07-Nov-07	EPA 7610	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	-----------------------------------

Extractable Potassium (K)

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-61 (H710050-10) Sludge Sampled: 23-Oct-07 13:00 Received: 26-Oct-07 12:00							
Potassium	320	20	mg/kg	1	07-Nov-07	EPA 7610	
WP-64 (H710050-11) Sludge Sampled: 23-Oct-07 13:15 Received: 26-Oct-07 12:00							
Potassium	450	20	mg/kg	1	07-Nov-07	EPA 7610	
WP-65 (H710050-12) Sludge Sampled: 23-Oct-07 13:30 Received: 26-Oct-07 12:00							
Potassium	320	20	mg/kg	1	07-Nov-07	EPA 7610	
WP-66 (H710050-13) Sludge Sampled: 23-Oct-07 14:44 Received: 26-Oct-07 12:00							
Potassium	340	20	mg/kg	1	07-Nov-07	EPA 7610	
WP-67 (H710050-14) Sludge Sampled: 23-Oct-07 15:18 Received: 26-Oct-07 12:00							
Potassium	420	20	mg/kg	1	07-Nov-07	EPA 7610	
WP-72 (H710050-15) Sludge Sampled: 23-Oct-07 15:20 Received: 26-Oct-07 12:00							
Potassium	380	20	mg/kg	1	07-Nov-07	EPA 7610	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H710050

Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	----------	--------	-------

WP-28 (H710050-01) Sludge Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00


Calcium	660	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	2.1	1.0	"	"	"	"	
Barium	77	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	27	1.0	"	"	"	"	
Cobalt	4.1	1.0	"	"	"	"	
Copper	43	2.0	"	"	"	"	
Iron	12000	20	"	"	"	"	
Lead	5.5	1.0	"	"	"	"	
Manganese	230	20	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	1.2	1.0	"	"	"	"	
Nickel	25	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	24	1.0	"	"	"	"	
Zinc	83	5.0	"	"	"	"	
Magnesium	6500	20	"	"	07-Nov-07	EPA 7450	
Potassium	2200	20	"	"	"	EPA 7610	
Sodium	290	50	"	"	"	EPA 7770	

WP-30 (H710050-02) Sludge Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00

Calcium	620	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	2.0	1.0	"	"	"	"	
Barium	90	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	30	1.0	"	"	"	"	
Cobalt	4.2	1.0	"	"	"	"	
Copper	53	2.0	"	"	"	"	
Iron	13000	20	"	"	"	"	
Lead	5.6	1.0	"	"	"	"	
Manganese	180	20	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	1.0	1.0	"	"	"	"	
Nickel	25	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	----------------------------

Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-30 (H710050-02) Sludge Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00							
Silver	ND	1.0	mg/kg	1	31-Oct-07	EPA 6020A	
Thallium	ND	1.0	"	"	"	"	
Vanadium	24	1.0	"	"	"	"	
Zinc	76	5.0	"	"	"	"	
Magnesium	4100	20	"	"	07-Nov-07	EPA 7450	
Potassium	1100	20	"	"	"	EPA 7610	
Sodium	210	50	"	"	"	EPA 7770	
WP-31 (H710050-03) Sludge Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00							
Calcium	630	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	2.3	1.0	"	"	"	"	
Barium	89	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	29	1.0	"	"	"	"	
Cobalt	3.9	1.0	"	"	"	"	
Copper	49	2.0	"	"	"	"	
Iron	11000	20	"	"	"	"	
Lead	5.4	1.0	"	"	"	"	
Manganese	140	20	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	25	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	24	1.0	"	"	"	"	
Zinc	75	5.0	"	"	"	"	
Magnesium	3200	20	"	"	07-Nov-07	EPA 7450	
Potassium	930	20	"	"	"	EPA 7610	
Sodium	180	50	"	"	"	EPA 7770	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H710050

Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	----------	--------	-------

WP-32 (H710050-04) Sludge Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00


Calcium	590	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	1.5	1.0	"	"	"	"	
Barium	63	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	21	1.0	"	"	"	"	
Cobalt	2.7	1.0	"	"	"	"	
Copper	37	2.0	"	"	"	"	
Iron	7200	20	"	"	"	"	
Lead	3.5	1.0	"	"	"	"	
Manganese	100	20	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	1.1	1.0	"	"	"	"	
Nickel	16	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	16	1.0	"	"	"	"	
Zinc	55	5.0	"	"	"	"	
Magnesium	2000	20	"	"	07-Nov-07	EPA 7450	
Potassium	820	20	"	"	"	EPA 7610	
Sodium	190	50	"	"	"	EPA 7770	

WP-43 (H710050-05) Sludge Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00

Calcium	650	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	1.5	1.0	"	"	"	"	
Barium	58	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	18	1.0	"	"	"	"	
Cobalt	2.7	1.0	"	"	"	"	
Copper	32	2.0	"	"	"	"	
Iron	8000	20	"	"	"	"	
Lead	3.3	1.0	"	"	"	"	
Manganese	130	20	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	15	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager:	Work Order No.: H710050
---	--	-----------------------------------

Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-43 (H710050-05) Sludge Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00							
Silver	ND	1.0	mg/kg	1	31-Oct-07	EPA 6020A	
Thallium	ND	1.0	"	"	"	"	
Vanadium	16	1.0	"	"	"	"	
Zinc	50	5.0	"	"	"	"	
Magnesium	2100	20	"	"	07-Nov-07	EPA 7450	
Potassium	750	20	"	"	"	EPA 7610	
Sodium	170	50	"	"	"	EPA 7770	
WP-47 (H710050-06) Sludge Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00							
Calcium	610	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	1.6	1.0	"	"	"	"	
Barium	59	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	19	1.0	"	"	"	"	
Cobalt	2.7	1.0	"	"	"	"	
Copper	31	2.0	"	"	"	"	
Iron	8200	20	"	"	"	"	
Lead	3.7	1.0	"	"	"	"	
Manganese	130	20	"	"	"	"	
Mercury	0.3	0.1	"	"	"	"	
Molybdenum	1.1	1.0	"	"	"	"	
Nickel	17	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	17	1.0	"	"	"	"	
Zinc	54	5.0	"	"	"	"	
Magnesium	2100	20	"	"	07-Nov-07	EPA 7450	
Potassium	840	20	"	"	"	EPA 7610	
Sodium	160	50	"	"	"	EPA 7770	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager:

Work Order No.:
H710050

Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	----------	--------	-------

WP-48 (H710050-07) Sludge Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00


Calcium	580	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	2.0	1.0	"	"	"	"	
Barium	71	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	26	1.0	"	"	"	"	
Cobalt	4.0	1.0	"	"	"	"	
Copper	36	2.0	"	"	"	"	
Iron	12000	20	"	"	"	"	
Lead	4.2	1.0	"	"	"	"	
Manganese	220	20	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	22	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	20	1.0	"	"	"	"	
Zinc	52	5.0	"	"	"	"	
Magnesium	2700	20	"	"	07-Nov-07	EPA 7450	
Potassium	980	20	"	"	"	EPA 7610	
Sodium	170	50	"	"	"	EPA 7770	

WP-53 (H710050-08) Sludge Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00

Calcium	520	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	1.9	1.0	"	"	"	"	
Barium	60	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	20	1.0	"	"	"	"	
Cobalt	3.0	1.0	"	"	"	"	
Copper	35	2.0	"	"	"	"	
Iron	8700	20	"	"	"	"	
Lead	4.9	1.0	"	"	"	"	
Manganese	130	20	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	22	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager:


Work Order No.:
H710050

Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-53 (H710050-08) Sludge Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00							
Silver	ND	1.0	mg/kg	1	31-Oct-07	EPA 6020A	
Thallium	ND	1.0	"	"	"	"	
Vanadium	20	1.0	"	"	"	"	
Zinc	59	5.0	"	"	"	"	
Magnesium	3000	20	"	"	07-Nov-07	EPA 7450	
Potassium	940	20	"	"	"	EPA 7610	
Sodium	160	50	"	"	"	EPA 7770	
WP-59 (H710050-09) Sludge Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00							
Calcium	1500	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	1.6	1.0	"	"	"	"	
Barium	58	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	17	1.0	"	"	"	"	
Cobalt	2.7	1.0	"	"	"	"	
Copper	33	2.0	"	"	"	"	
Iron	7200	20	"	"	"	"	
Lead	4.2	1.0	"	"	"	"	
Manganese	110	20	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	17	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	17	1.0	"	"	"	"	
Zinc	56	5.0	"	"	"	"	
Magnesium	2200	20	"	"	07-Nov-07	EPA 7450	
Potassium	760	20	"	"	"	EPA 7610	
Sodium	150	50	"	"	"	EPA 7770	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	----------------------------

Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	----------	--------	-------


WP-61 (H710050-10) Sludge Sampled: 23-Oct-07 13:00 Received: 26-Oct-07 12:00

Calcium	640	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	1.5	1.0	"	"	"	"	
Barium	61	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	19	1.0	"	"	"	"	
Cobalt	3.3	1.0	"	"	"	"	
Copper	25	2.0	"	"	"	"	
Iron	11000	20	"	"	"	"	
Lead	4.7	1.0	"	"	"	"	
Manganese	130	20	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	18	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	26	1.0	"	"	"	"	
Zinc	50	5.0	"	"	"	"	
Magnesium	2400	20	"	"	07-Nov-07	EPA 7450	
Potassium	830	20	"	"	"	EPA 7610	
Sodium	160	50	"	"	"	EPA 7770	

WP-64 (H710050-11) Sludge Sampled: 23-Oct-07 13:15 Received: 26-Oct-07 12:00

Calcium	970	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	2.8	1.0	"	"	"	"	
Barium	71	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	23	1.0	"	"	"	"	
Cobalt	3.3	1.0	"	"	"	"	
Copper	37	2.0	"	"	"	"	
Iron	10000	20	"	"	"	"	
Lead	9.9	1.0	"	"	"	"	
Manganese	140	20	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	29	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager:


Work Order No.:
H710050

Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-64 (H710050-11) Sludge Sampled: 23-Oct-07 13:15 Received: 26-Oct-07 12:00							
Silver	ND	1.0	mg/kg	1	31-Oct-07	EPA 6020A	
Thallium	ND	1.0	"	"	"	"	
Vanadium	28	1.0	"	"	"	"	
Zinc	66	5.0	"	"	"	"	
Magnesium	3100	20	"	"	07-Nov-07	EPA 7450	
Potassium	1100	20	"	"	"	EPA 7610	
Sodium	250	50	"	"	"	EPA 7770	
WP-65 (H710050-12) Sludge Sampled: 23-Oct-07 13:30 Received: 26-Oct-07 12:00							
Calcium	650	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	3.0	1.0	"	"	"	"	
Barium	75	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	24	1.0	"	"	"	"	
Cobalt	3.6	1.0	"	"	"	"	
Copper	40	2.0	"	"	"	"	
Iron	8900	20	"	"	"	"	
Lead	10	1.0	"	"	"	"	
Manganese	160	20	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	31	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	30	1.0	"	"	"	"	
Zinc	71	5.0	"	"	"	"	
Magnesium	2700	20	"	"	07-Nov-07	EPA 7450	
Potassium	810	20	"	"	"	EPA 7610	
Sodium	170	50	"	"	"	EPA 7770	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager:	Work Order No.: H710050
---	--	----------------------------

Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-66 (H710050-13) Sludge Sampled: 23-Oct-07 14:44 Received: 26-Oct-07 12:00							
Calcium	660	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	1.6	1.0	"	"	"	"	
Barium	52	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	15	1.0	"	"	"	"	
Cobalt	2.5	1.0	"	"	"	"	
Copper	30	2.0	"	"	"	"	
Iron	7700	20	"	"	"	"	
Lead	4.3	1.0	"	"	"	"	
Manganese	120	20	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	19	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	19	1.0	"	"	"	"	
Zinc	52	5.0	"	"	"	"	
Magnesium	2100	20	"	"	07-Nov-07	EPA 7450	
Potassium	730	20	"	"	"	EPA 7610	
Sodium	180	50	"	"	"	EPA 7770	
WP-67 (H710050-14) Sludge Sampled: 23-Oct-07 15:18 Received: 26-Oct-07 12:00							
Calcium	570	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	2.1	1.0	"	"	"	"	
Barium	77	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	23	1.0	"	"	"	"	
Cobalt	3.9	1.0	"	"	"	"	
Copper	38	2.0	"	"	"	"	
Iron	13000	20	"	"	"	"	
Lead	8.8	1.0	"	"	"	"	
Manganese	210	20	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	ND	1.0	"	"	"	"	
Nickel	24	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: _____	Work Order No.: H710050
---	--	-----------------------------------

Metals

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	----------	--------	-------

WP-67 (H710050-14) Sludge Sampled: 23-Oct-07 15:18 Received: 26-Oct-07 12:00


Silver	ND	1.0	mg/kg	1	31-Oct-07	EPA 6020A	
Thallium	ND	1.0	"	"	"	"	
Vanadium	27	1.0	"	"	"	"	
Zinc	69	5.0	"	"	"	"	
Magnesium	2700	20	"	"	07-Nov-07	EPA 7450	
Potassium	930	20	"	"	"	EPA 7610	
Sodium	190	50	"	"	"	EPA 7770	

WP-72 (H710050-15) Sludge Sampled: 23-Oct-07 15:20 Received: 26-Oct-07 12:00

Calcium	470	50	mg/kg	1	07-Nov-07	EPA 7140	
Antimony	ND	2.0	"	"	31-Oct-07	EPA 6020A	
Arsenic	2.8	1.0	"	"	"	"	
Barium	87	5.0	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	
Cadmium	ND	1.0	"	"	"	"	
Chromium	28	1.0	"	"	"	"	
Cobalt	4.2	1.0	"	"	"	"	
Copper	49	2.0	"	"	"	"	
Iron	13000	20	"	"	"	"	
Lead	9.2	1.0	"	"	"	"	
Manganese	190	20	"	"	"	"	
Mercury	ND	0.1	"	"	"	"	
Molybdenum	1.0	1.0	"	"	"	"	
Nickel	30	1.0	"	"	"	"	
Selenium	ND	1.0	"	"	"	"	
Silver	ND	1.0	"	"	"	"	
Thallium	ND	1.0	"	"	"	"	
Vanadium	31	1.0	"	"	"	"	
Zinc	92	5.0	"	"	"	"	
Magnesium	4000	20	"	"	07-Nov-07	EPA 7450	
Potassium	1000	20	"	"	"	EPA 7610	
Sodium	190	50	"	"	"	EPA 7770	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA, 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
--	--	----------------------------

Percent Moisture

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00							
% Moisture	39		% by Weight	1	31-Oct-07	ASTM D2216-92	
WP-30 (H710050-02) Sludge Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00							
% Moisture	29		% by Weight	1	31-Oct-07	ASTM D2216-92	
WP-31 (H710050-03) Sludge Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00							
% Moisture	34		% by Weight	1	31-Oct-07	ASTM D2216-92	
WP-32 (H710050-04) Sludge Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00							
% Moisture	21		% by Weight	1	31-Oct-07	ASTM D2216-92	
WP-43 (H710050-05) Sludge Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00							
% Moisture	21		% by Weight	1	31-Oct-07	ASTM D2216-92	
WP-47 (H710050-06) Sludge Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00							
% Moisture	22		% by Weight	1	31-Oct-07	ASTM D2216-92	
WP-48 (H710050-07) Sludge Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00							
% Moisture	41		% by Weight	1	31-Oct-07	ASTM D2216-92	
WP-53 (H710050-08) Sludge Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00							
% Moisture	36		% by Weight	1	31-Oct-07	ASTM D2216-92	
WP-59 (H710050-09) Sludge Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00							
% Moisture	20		% by Weight	1	31-Oct-07	ASTM D2216-92	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager:	Work Order No.: H710050
---	--	-----------------------------------

Percent Moisture

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-61 (H710050-10) Sludge Sampled: 23-Oct-07 13:00 Received: 26-Oct-07 12:00							
% Moisture	39		% by Weight	1	31-Oct-07	ASTM D2216-92	
WP-64 (H710050-11) Sludge Sampled: 23-Oct-07 13:15 Received: 26-Oct-07 12:00							
% Moisture	31		% by Weight	1	31-Oct-07	ASTM D2216-92	
WP-65 (H710050-12) Sludge Sampled: 23-Oct-07 13:30 Received: 26-Oct-07 12:00							
% Moisture	27		% by Weight	1	31-Oct-07	ASTM D2216-92	
WP-66 (H710050-13) Sludge Sampled: 23-Oct-07 14:44 Received: 26-Oct-07 12:00							
% Moisture	22		% by Weight	1	31-Oct-07	ASTM D2216-92	
WP-67 (H710050-14) Sludge Sampled: 23-Oct-07 15:18 Received: 26-Oct-07 12:00							
% Moisture	34		% by Weight	1	31-Oct-07	ASTM D2216-92	
WP-72 (H710050-15) Sludge Sampled: 23-Oct-07 15:20 Received: 26-Oct-07 12:00							
% Moisture	40		% by Weight	1	31-Oct-07	ASTM D2216-92	


Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager:	Work Order No.: H710050
pH - EPA Method 150.1		

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge	Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00						
pH	8.2	0.1	pH Units	1	31-Oct-07	EPA 150.1	
WP-30 (H710050-02) Sludge	Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00						
pH	7.9	0.1	pH Units	1	31-Oct-07	EPA 150.1	
WP-31 (H710050-03) Sludge	Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00						
pH	8.0	0.1	pH Units	1	31-Oct-07	EPA 150.1	
WP-32 (H710050-04) Sludge	Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00						
pH	8.2	0.1	pH Units	1	31-Oct-07	EPA 150.1	
WP-43 (H710050-05) Sludge	Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00						
pH	8.3	0.1	pH Units	1	31-Oct-07	EPA 150.1	
WP-47 (H710050-06) Sludge	Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00						
pH	8.1	0.1	pH Units	1	31-Oct-07	EPA 150.1	
WP-48 (H710050-07) Sludge	Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00						
pH	8.2	0.1	pH Units	1	31-Oct-07	EPA 150.1	
WP-53 (H710050-08) Sludge	Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00						
pH	8.2	0.1	pH Units	1	31-Oct-07	EPA 150.1	
WP-59 (H710050-09) Sludge	Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00						
pH	8.1	0.1	pH Units	1	31-Oct-07	EPA 150.1	

Approved By _____
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	----------------------------

pH - EPA Method 150.1

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-61 (H710050-10) Sludge Sampled: 23-Oct-07 13:00 Received: 26-Oct-07 12:00							
pH	8.1	0.1	pH Units	1	31-Oct-07	EPA 150.1	
WP-64 (H710050-11) Sludge Sampled: 23-Oct-07 13:15 Received: 26-Oct-07 12:00							
pH	7.4	0.1	pH Units	1	31-Oct-07	EPA 150.1	
WP-65 (H710050-12) Sludge Sampled: 23-Oct-07 13:30 Received: 26-Oct-07 12:00							
pH	7.9	0.1	pH Units	1	31-Oct-07	EPA 150.1	
WP-66 (H710050-13) Sludge Sampled: 23-Oct-07 14:44 Received: 26-Oct-07 12:00							
pH	8.0	0.1	pH Units	1	31-Oct-07	EPA 150.1	
WP-67 (H710050-14) Sludge Sampled: 23-Oct-07 15:18 Received: 26-Oct-07 12:00							
pH	8.0	0.1	pH Units	1	31-Oct-07	EPA 150.1	
WP-72 (H710050-15) Sludge Sampled: 23-Oct-07 15:20 Received: 26-Oct-07 12:00							
pH	8.1	0.1	pH Units	1	31-Oct-07	EPA 150.1	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: -----


Work Order No.:
H710050

Phosphorous

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00							
Phosphorous as P - Bray Method	88.0	1.0	mg/kg	1	01-Nov-07	-----	
WP-30 (H710050-02) Sludge Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00							
Phosphorous as P - Bray Method	84.0	1.0	mg/kg	1	01-Nov-07	-----	
WP-31 (H710050-03) Sludge Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00							
Phosphorous as P - Bray Method	76.0	1.0	mg/kg	1	01-Nov-07	-----	
WP-32 (H710050-04) Sludge Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00							
Phosphorous as P - Bray Method	90.0	1.0	mg/kg	1	01-Nov-07	-----	
WP-43 (H710050-05) Sludge Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00							
Phosphorous as P - Bray Method	86.0	1.0	mg/kg	1	01-Nov-07	-----	
WP-47 (H710050-06) Sludge Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00							
Phosphorous as P - Bray Method	94.0	1.0	mg/kg	1	01-Nov-07	-----	
WP-49 (H710050-07) Sludge Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00							
Phosphorous as P - Bray Method	58.0	1.0	mg/kg	1	01-Nov-07	-----	
WP-53 (H710050-08) Sludge Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00							
Phosphorous as P - Bray Method	82.0	1.0	mg/kg	1	01-Nov-07	-----	
WP-59 (H710050-09) Sludge Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00							
Phosphorous as P - Bray Method	78.0	1.0	mg/kg	1	01-Nov-07	-----	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: _____


Work Order No.:
H710050

Phosphorous

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-61 (H710050-10) Sludge	Sampled: 23-Oct-07 13:00 Received: 26-Oct-07 12:00						
Phosphorous as P - Bray Method	106	1.0	mg/kg	1	01-Nov-07	
WP-64 (H710050-11) Sludge	Sampled: 23-Oct-07 13:15 Received: 26-Oct-07 12:00						
Phosphorous as P - Bray Method	46.0	1.0	mg/kg	1	01-Nov-07	
WP-65 (H710050-12) Sludge	Sampled: 23-Oct-07 13:30 Received: 26-Oct-07 12:00						
Phosphorous as P - Bray Method	114	1.0	mg/kg	1	01-Nov-07	
WP-66 (H710050-13) Sludge	Sampled: 23-Oct-07 14:44 Received: 26-Oct-07 12:00						
Phosphorous as P - Bray Method	82.0	1.0	mg/kg	1	01-Nov-07	
WP-67 (H710050-14) Sludge	Sampled: 23-Oct-07 15:18 Received: 26-Oct-07 12:00						
Phosphorous as P - Bray Method	114	1.0	mg/kg	1	01-Nov-07	
WP-72 (H710050-15) Sludge	Sampled: 23-Oct-07 15:20 Received: 26-Oct-07 12:00						
Phosphorous as P - Bray Method	122	1.0	mg/kg	1	01-Nov-07	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361


Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: _____

Work Order No.:
H710050

Sodium Absorption Ratio

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge	Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.70	0.10	N/A	1	07-Nov-07	SAR	
WP-30 (H710050-02) Sludge	Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.70	0.10	N/A	1	07-Nov-07	SAR	
WP-31 (H710050-03) Sludge	Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.60	0.10	N/A	1	07-Nov-07	SAR	
WP-32 (H710050-04) Sludge	Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.80	0.10	N/A	1	07-Nov-07	SAR	
WP-43 (H710050-05) Sludge	Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.70	0.10	N/A	1	07-Nov-07	SAR	
WP-47 (H710050-06) Sludge	Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.70	0.10	N/A	1	07-Nov-07	SAR	
WP-48 (H710050-07) Sludge	Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.70	0.10	N/A	1	07-Nov-07	SAR	
WP-53 (H710050-08) Sludge	Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.60	0.10	N/A	1	07-Nov-07	SAR	
WP-59 (H710050-09) Sludge	Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.60	0.10	N/A	1	07-Nov-07	SAR	

Approved By
Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: _____


Work Order No.:
H710050

Sodium Absorption Ratio

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-61 (H710050-10) Sludge	Sampled: 23-Oct-07 13:00 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.70	0.10	N/A	1	07-Nov-07	SAR	
WP-64 (H710050-11) Sludge	Sampled: 23-Oct-07 13:15 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.90	0.10	N/A	1	07-Nov-07	SAR	
WP-65 (H710050-12) Sludge	Sampled: 23-Oct-07 13:30 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.70	0.10	N/A	1	07-Nov-07	SAR	
WP-66 (H710050-13) Sludge	Sampled: 23-Oct-07 14:44 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.80	0.10	N/A	1	07-Nov-07	SAR	
WP-67 (H710050-14) Sludge	Sampled: 23-Oct-07 15:18 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.70	0.10	N/A	1	07-Nov-07	SAR	
WP-72 (H710050-15) Sludge	Sampled: 23-Oct-07 15:20 Received: 26-Oct-07 12:00						
Sodium Absorption Ratio	0.60	0.10	N/A	1	07-Nov-07	SAR	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361


Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: _____

Work Order No.:
H710050

Specific Conductance (EC) - EPA Method 120.1

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge	Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00						
Specific conductance	3000	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	
WP-30 (H710050-02) Sludge	Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00						
Specific conductance	1800	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	
WP-31 (H710050-03) Sludge	Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00						
Specific conductance	4100	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	
WP-32 (H710050-04) Sludge	Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00						
Specific conductance	7000	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	
WP-43 (H710050-05) Sludge	Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00						
Specific conductance	6900	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	
WP-47 (H710050-06) Sludge	Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00						
Specific conductance	5900	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	
WP-48 (H710050-07) Sludge	Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00						
Specific conductance	6200	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	
WP-53 (H710050-08) Sludge	Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00						
Specific conductance	4600	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	
WP-59 (H710050-09) Sludge	Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00						
Specific conductance	7200	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	

Approved By
Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager:	Work Order No.: H710050
---	--	----------------------------

Specific Conductance (EC) - EPA Method 120.1

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-61 (H710050-10) Sludge Sampled: 23-Oct-07 13:00 Received: 26-Oct-07 12:00							
Specific conductance	3900	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	
WP-64 (H710050-11) Sludge Sampled: 23-Oct-07 13:15 Received: 26-Oct-07 12:00							
Specific conductance	2500	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	
WP-65 (H710050-12) Sludge Sampled: 23-Oct-07 13:30 Received: 26-Oct-07 12:00							
Specific conductance	4600	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	
WP-66 (H710050-13) Sludge Sampled: 23-Oct-07 14:44 Received: 26-Oct-07 12:00							
Specific conductance	5400	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	
WP-67 (H710050-14) Sludge Sampled: 23-Oct-07 15:18 Received: 26-Oct-07 12:00							
Specific conductance	4300	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	
WP-72 (H710050-15) Sludge Sampled: 23-Oct-07 15:20 Received: 26-Oct-07 12:00							
Specific conductance	2700	5.0	umhos/cm	1	30-Oct-07	EPA 120.1	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: -----


Work Order No.:
H710050

Total Dissolved Solids - EPA Method 160.1

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00							
Total Dissolved Solids	4100	10	mg/L	1	31-Oct-07	EPA 160.1	
WP-30 (H710050-02) Sludge Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00							
Total Dissolved Solids	3300	10	mg/L	1	31-Oct-07	EPA 160.1	
WP-31 (H710050-03) Sludge Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00							
Total Dissolved Solids	3600	10	mg/L	1	31-Oct-07	EPA 160.1	
WP-32 (H710050-04) Sludge Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00							
Total Dissolved Solids	2400	10	mg/L	1	31-Oct-07	EPA 160.1	
WP-43 (H710050-05) Sludge Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00							
Total Dissolved Solids	1500	10	mg/L	1	31-Oct-07	EPA 160.1	
WP-47 (H710050-06) Sludge Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00							
Total Dissolved Solids	2600	10	mg/L	1	31-Oct-07	EPA 160.1	
WP-48 (H710050-07) Sludge Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00							
Total Dissolved Solids	2300	10	mg/L	1	31-Oct-07	EPA 160.1	
WP-53 (H710050-08) Sludge Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00							
Total Dissolved Solids	2200	10	mg/L	1	31-Oct-07	EPA 160.1	
WP-59 (H710050-09) Sludge Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00							
Total Dissolved Solids	1700	10	mg/L	1	31-Oct-07	EPA 160.1	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: _____


Work Order No.:
H710050

Total Dissolved Solids - EPA Method 160.1

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-61 (H710050-10) Sludge	Sampled: 23-Oct-07 13:00	Received: 26-Oct-07 12:00					
Total Dissolved Solids	1300	10	mg/L	1	31-Oct-07	EPA 160.1	
WP-64 (H710050-11) Sludge	Sampled: 23-Oct-07 13:15	Received: 26-Oct-07 12:00					
Total Dissolved Solids	6000	10	mg/L	1	31-Oct-07	EPA 160.1	
WP-65 (H710050-12) Sludge	Sampled: 23-Oct-07 13:30	Received: 26-Oct-07 12:00					
Total Dissolved Solids	2400	10	mg/L	1	31-Oct-07	EPA 160.1	
WP-66 (H710050-13) Sludge	Sampled: 23-Oct-07 14:44	Received: 26-Oct-07 12:00					
Total Dissolved Solids	1900	10	mg/L	1	31-Oct-07	EPA 160.1	
WP-67 (H710050-14) Sludge	Sampled: 23-Oct-07 15:18	Received: 26-Oct-07 12:00					
Total Dissolved Solids	1700	10	mg/L	1	31-Oct-07	EPA 160.1	
WP-72 (H710050-15) Sludge	Sampled: 23-Oct-07 15:20	Received: 26-Oct-07 12:00					
Total Dissolved Solids	2000	10	mg/L	1	31-Oct-07	EPA 160.1	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: _____	Work Order No.: H710050
---	--	----------------------------

Total Fixed Solids

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge - Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00							
Total Fixed Solids	310000	50	mg/L	1	03-Nov-07	SM 2540A	
WP-30 (H710050-02) Sludge - Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00							
Total Fixed Solids	270000	50	mg/L	1	03-Nov-07	SM 2540A	
WP-31 (H710050-03) Sludge - Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00							
Total Fixed Solids	210000	50	mg/L	1	03-Nov-07	SM 2540A	
WP-32 (H710050-04) Sludge - Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00							
Total Fixed Solids	110000	50	mg/L	1	03-Nov-07	SM 2540A	
WP-43 (H710050-05) Sludge - Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00							
Total Fixed Solids	130000	50	mg/L	1	03-Nov-07	SM 2540A	
WP-47 (H710050-06) Sludge - Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00							
Total Fixed Solids	140000	50	mg/L	1	03-Nov-07	SM 2540A	
WP-48 (H710050-07) Sludge - Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00							
Total Fixed Solids	380000	50	mg/L	1	03-Nov-07	SM 2540A	
WP-53 (H710050-08) Sludge - Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00							
Total Fixed Solids	220000	50	mg/L	1	03-Nov-07	SM 2540A	
WP-59 (H710050-09) Sludge - Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00							
Total Fixed Solids	120000	50	mg/L	1	03-Nov-07	SM 2540A	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	-----------------------------------

Total Fixed Solids

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-61 (H710050-10) Sludge	Sampled: 23-Oct-07 13:00		Received: 26-Oct-07 12:00				
Total Fixed Solids	400000	50	mg/L	1	03-Nov-07	SM 2540A	
WP-64 (H710050-11) Sludge	Sampled: 23-Oct-07 13:15		Received: 26-Oct-07 12:00				
Total Fixed Solids	280000	50	mg/L	1	03-Nov-07	SM 2540A	
WP-65 (H710050-12) Sludge	Sampled: 23-Oct-07 13:30		Received: 26-Oct-07 12:00				
Total Fixed Solids	180000	50	mg/L	1	03-Nov-07	SM 2540A	
WP-66 (H710050-13) Sludge	Sampled: 23-Oct-07 14:44		Received: 26-Oct-07 12:00				
Total Fixed Solids	130000	50	mg/L	1	03-Nov-07	SM 2540A	
WP-67 (H710050-14) Sludge	Sampled: 23-Oct-07 15:18		Received: 26-Oct-07 12:00				
Total Fixed Solids	290000	50	mg/L	1	03-Nov-07	SM 2540A	
WP-72 (H710050-15) Sludge	Sampled: 23-Oct-07 15:20		Received: 26-Oct-07 12:00				
Total Fixed Solids	300000	50	mg/L	1	03-Nov-07	SM 2540A	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc,
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: -----


Work Order No.:
H710050

Total Kjeldahl Nitrogen by EPA 351.2

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00							
Total Kjeldahl Nitrogen	1700	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	
WP-30 (H710050-02) Sludge Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00							
Total Kjeldahl Nitrogen	1600	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	
WP-31 (H710050-03) Sludge Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00							
Total Kjeldahl Nitrogen	1700	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	
WP-32 (H710050-04) Sludge Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00							
Total Kjeldahl Nitrogen	3000	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	
WP-43 (H710050-05) Sludge Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00							
Total Kjeldahl Nitrogen	3200	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	
WP-47 (H710050-06) Sludge Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00							
Total Kjeldahl Nitrogen	2400	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	
WP-48 (H710050-07) Sludge Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00							
Total Kjeldahl Nitrogen	2400	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	
WP-53 (H710050-08) Sludge Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00							
Total Kjeldahl Nitrogen	2800	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	
WP-59 (H710050-09) Sludge Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00							
Total Kjeldahl Nitrogen	2500	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave,
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: _____


Work Order No.:
H710050

Total Kjeldahl Nitrogen by EPA 351.2

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-61 (H710050-10) Sludge	Sampled: 23-Oct-07 13:00	Received: 26-Oct-07 12:00					
Total Kjeldahl Nitrogen	1600	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	
WP-64 (H710050-11) Sludge	Sampled: 23-Oct-07 13:15	Received: 26-Oct-07 12:00					
Total Kjeldahl Nitrogen	1300	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	
WP-65 (H710050-12) Sludge	Sampled: 23-Oct-07 13:30	Received: 26-Oct-07 12:00					
Total Kjeldahl Nitrogen	2000	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	
WP-66 (H710050-13) Sludge	Sampled: 23-Oct-07 14:44	Received: 26-Oct-07 12:00					
Total Kjeldahl Nitrogen	1200	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	
WP-67 (H710050-14) Sludge	Sampled: 23-Oct-07 15:18	Received: 26-Oct-07 12:00					
Total Kjeldahl Nitrogen	1800	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	
WP-72 (H710050-15) Sludge	Sampled: 23-Oct-07 15:20	Received: 26-Oct-07 12:00					
Total Kjeldahl Nitrogen	2600	5.0	mg/kg	1	30-Oct-07	SM 4500-N B	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Acreated Pond
Project Manager:

Work Order No.:
H710050

Total Nitrogen

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge	Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00						
Total Nitrogen as N	1700	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	
WP-30 (H710050-02) Sludge	Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00						
Total Nitrogen as N	1600	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	
WP-31 (H710050-03) Sludge	Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00						
Total Nitrogen as N	1700	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	
WP-32 (H710050-04) Sludge	Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00						
Total Nitrogen as N	3000	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	
WP-43 (H710050-05) Sludge	Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00						
Total Nitrogen as N	3200	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	
WP-47 (H710050-06) Sludge	Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00						
Total Nitrogen as N	2400	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	
WP-48 (H710050-07) Sludge	Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00						
Total Nitrogen as N	2400	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	
WP-53 (H710050-08) Sludge	Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00						
Total Nitrogen as N	2800	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	
WP-59 (H710050-09) Sludge	Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00						
Total Nitrogen as N	2500	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	----------------------------

Total Nitrogen

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-61 (H710050-10) Sludge	Sampled: 23-Oct-07 13:00 Received: 26-Oct-07 12:00						
Total Nitrogen as N	1600	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	
WP-64 (H710050-11) Sludge	Sampled: 23-Oct-07 13:15 Received: 26-Oct-07 12:00						
Total Nitrogen as N	1300	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	
WP-65 (H710050-12) Sludge	Sampled: 23-Oct-07 13:30 Received: 26-Oct-07 12:00						
Total Nitrogen as N	2000	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	
WP-66 (H710050-13) Sludge	Sampled: 23-Oct-07 14:44 Received: 26-Oct-07 12:00						
Total Nitrogen as N	1200	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	
WP-67 (H710050-14) Sludge	Sampled: 23-Oct-07 15:18 Received: 26-Oct-07 12:00						
Total Nitrogen as N	1800	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	
WP-72 (H710050-15) Sludge	Sampled: 23-Oct-07 15:20 Received: 26-Oct-07 12:00						
Total Nitrogen as N	2600	1.0	mg/kg	1	07-Nov-07	SM 4500 NC	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager:	Work Order No.: H710050
---	--	----------------------------

Total Organic Carbon

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-28 (H710050-01) Sludge	Sampled: 23-Oct-07 09:30 Received: 26-Oct-07 12:00						
Total Organic Carbon	23000	200	mg/kg	1	01-Nov-07	SM5310B	
WP-30 (H710050-02) Sludge	Sampled: 23-Oct-07 09:50 Received: 26-Oct-07 12:00						
Total Organic Carbon	21000	200	mg/kg	1	01-Nov-07	SM5310B	
WP-31 (H710050-03) Sludge	Sampled: 23-Oct-07 10:20 Received: 26-Oct-07 12:00						
Total Organic Carbon	21000	200	mg/kg	1	01-Nov-07	SM5310B	
WP-32 (H710050-04) Sludge	Sampled: 23-Oct-07 10:40 Received: 26-Oct-07 12:00						
Total Organic Carbon	21000	200	mg/kg	1	01-Nov-07	SM5310B	
WP-43 (H710050-05) Sludge	Sampled: 23-Oct-07 11:10 Received: 26-Oct-07 12:00						
Total Organic Carbon	17000	200	mg/kg	1	01-Nov-07	SM5310B	
WP-47 (H710050-06) Sludge	Sampled: 23-Oct-07 11:30 Received: 26-Oct-07 12:00						
Total Organic Carbon	20000	200	mg/kg	1	01-Nov-07	SM5310B	
WP-48 (H710050-07) Sludge	Sampled: 23-Oct-07 11:50 Received: 26-Oct-07 12:00						
Total Organic Carbon	15000	200	mg/kg	1	01-Nov-07	SM5310B	
WP-53 (H710050-08) Sludge	Sampled: 23-Oct-07 12:20 Received: 26-Oct-07 12:00						
Total Organic Carbon	23000	200	mg/kg	1	01-Nov-07	SM5310B	
WP-59 (H710050-09) Sludge	Sampled: 23-Oct-07 12:40 Received: 26-Oct-07 12:00						
Total Organic Carbon	21000	200	mg/kg	1	01-Nov-07	SM5310B	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager:


Work Order No.:
H710050

Total Organic Carbon

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
WP-61 (H710050-10) Sludge	Sampled: 23-Oct-07 13:00 Received: 26-Oct-07 12:00						
Total Organic Carbon	17000	200	mg/kg	1	01-Nov-07	SM5310B	
WP-64 (H710050-11) Sludge	Sampled: 23-Oct-07 13:15 Received: 26-Oct-07 12:00						
Total Organic Carbon	32000	200	mg/kg	1	01-Nov-07	SM5310B	
WP-65 (H710050-12) Sludge	Sampled: 23-Oct-07 13:30 Received: 26-Oct-07 12:00						
Total Organic Carbon	23000	200	mg/kg	1	01-Nov-07	SM5310B	
WP-66 (H710050-13) Sludge	Sampled: 23-Oct-07 14:44 Received: 26-Oct-07 12:00						
Total Organic Carbon	19000	200	mg/kg	1	01-Nov-07	SM5310B	
WP-67 (H710050-14) Sludge	Sampled: 23-Oct-07 15:18 Received: 26-Oct-07 12:00						
Total Organic Carbon	22000	200	mg/kg	1	01-Nov-07	SM5310B	
WP-72 (H710050-15) Sludge	Sampled: 23-Oct-07 15:20 Received: 26-Oct-07 12:00						
Total Organic Carbon	27000	200	mg/kg	1	01-Nov-07	SM5310B	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Acreated Pond
Project Manager:

Work Order No.:
H710050


Alkalinity - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch HQK0041 - General Prep										
Prepared & Analyzed: 10/30/07										
Blank (HQK0041-BLK1)										
Carbonate Alkalinity	ND	5.0	mg/kg							
Bicarbonate Alkalinity	ND	5.0	"							
Hydroxide Alkalinity	ND	5.0	"							
Total Alkalinity	ND	10	"							
Prepared & Analyzed: 10/30/07										
LCS (HQK0041-BS1)										
Total Alkalinity	100		mg/kg	100		100	80-120			
Prepared & Analyzed: 10/30/07										
LCS Dup (HQK0041-BSD1)										
Total Alkalinity	100		mg/kg	100		100	80-120	0	20	
Prepared & Analyzed: 10/30/07										
Matrix Spike (HQK0041-MS1)										
Source: H710050-02										
Total Alkalinity	180		mg/kg	100	92	88	70-130			
Prepared & Analyzed: 10/30/07										
Matrix Spike Dup (HQK0041-MSD1)										
Source: H710050-02										
Total Alkalinity	200		mg/kg	100	92	108	70-130	11	20	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	-----------------------------------

Anions by Ion Chromatography - EPA Method 300.0 - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQK0051 - General Prep


Blank (HQK0051-BLK1)				Prepared & Analyzed: 11/05/07						
Chloride	ND	10	mg/kg							
Nitrate	ND	1.0	"							

LCS (HQK0051-BS1)				Prepared & Analyzed: 11/05/07						
Chloride	1.7	10	mg/kg	2.00	94	85	70-130			
Nitrate	3.6	1.0	"	4.00	90	90	70-130			

Matrix Spike (HQK0051-MS1)				Source: H710050-01		Prepared & Analyzed: 11/05/07				
Chloride	95.7	10	mg/kg	2.00	94	85	70-130			
Nitrate	8.3	1.0	"	4.00	4.7	90	70-130			

Matrix Spike Dup (HQK0051-MSD1)				Source: H710050-01		Prepared & Analyzed: 11/05/07				
Chloride	95.8	10	mg/kg	2.00	94	90	70-130	0.1	20	
Nitrate	8.3	1.0	"	4.00	4.7	90	70-130	0	20	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager:

Work Order No.:
H710050

DTPA Extractable Metals - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQK0061 - EPA 3050B

Prepared & Analyzed: 11/07/07

Blank (HQK0061-BLK1)

Antimony	ND	2.0	mg/kg							
Arsenic	ND	1.0	"							
Barium	ND	5.0	"							
Beryllium	ND	1.0	"							
Cadmium	ND	1.0	"							
Chromium	ND	1.0	"							
Cobalt	ND	1.0	"							
Copper	ND	2.0	"							
Iron	ND	20	"							
Lead	ND	1.0	"							
Manganese	ND	20	"							
Mercury	ND	0.10	"							
Molybdenum	ND	1.0	"							
Nickel	ND	1.0	"							
Selenium	ND	1.0	"							
Silver	ND	1.0	"							
Thallium	ND	1.0	"							
Vanadium	ND	1.0	"							
Zinc	ND	5.0	"							


Prepared & Analyzed: 11/07/07

LCS (HQK0061-BS1)

Antimony	11.3	mg/kg	10.0	118	80-120
Arsenic	10.2	"	10.0	102	80-120
Barium	107	"	100	107	80-120
Beryllium	9.70	"	10.0	97	80-120
Cadmium	9.00	"	10.0	90	80-120
Chromium	9.10	"	10.0	91	80-120
Cobalt	9.10	"	10.0	91	80-120
Copper	10.7	"	10.0	107	80-120
Iron	99.0	"	100	99	80-120
Lead	10.2	"	10.0	102	80-120
Manganese	115	"	100	115	80-120
Mercury	0.40	"	0.500	80	80-120
Molybdenum	11.0	"	10.0	110	80-120
Nickel	9.50	"	10.0	95	80-120
Selenium	10.1	"	10.0	101	80-120
Silver	9.50	"	10.0	95	80-120

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	-----------------------------------

DTPA Extractable Metals - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------


Batch HQK0061 - EPA 3050B

Prepared & Analyzed: 11/07/07										
LCS (HQK0061-BS1)										
Thallium	11.2		mg/kg	10.0		112	80-120			
Vanadium	9.60		"	10.0		96	80-120			
Zinc	94.0		"	100		94	80-120			

Prepared & Analyzed: 11/07/07										
LCS Dup (HQK0061-BS1)										
Antimony	11.2		mg/kg	10.0		112	80-120	5	20	
Arsenic	10.0		"	10.0		100	80-120	2	20	
Barium	106		"	100		106	80-120	0.9	20	
Beryllium	9.40		"	10.0		94	80-120	3	20	
Cadmium	8.80		"	10.0		88	80-120	2	20	
Chromium	9.00		"	10.0		90	80-120	1	20	
Cobalt	8.50		"	10.0		85	80-120	7	20	
Copper	10.6		"	10.0		106	80-120	0.9	20	
Iron	99.0		"	100		99	80-120	0	20	
Lead	10.4		"	10.0		104	80-120	2	20	
Manganese	109		"	100		109	80-120	5	20	
Mercury	0.42		"	0.500		84	80-120	5	20	
Molybdenum	10.4		"	10.0		104	80-120	6	20	
Nickel	9.40		"	10.0		94	80-120	1	20	
Selenium	10.0		"	10.0		100	80-120	1	20	
Silver	9.60		"	10.0		96	80-120	1	20	
Thallium	9.50		"	10.0		95	80-120	16	20	
Vanadium	9.50		"	10.0		95	80-120	1	20	
Zinc	95.0		"	100		95	80-120	1	20	

Source: H710050-15 Prepared & Analyzed: 11/07/07										
Matrix Spike (HQK0061-MS1)										
Antimony	11.1		mg/kg	10.0	ND	111	70-130			
Arsenic	9.30		"	10.0	0.40	89	70-130			
Barium	99.3		"	100	3.3	96	70-130			
Beryllium	11.8		"	10.0	ND	118	70-130			
Cadmium	12.5		"	10.0	ND	125	70-130			
Chromium	8.60		"	10.0	ND	86	70-130			
Cobalt	12.4		"	10.0	0.30	121	70-130			
Copper	10.9		"	10.0	0.70	102	70-130			
Iron	542		"	100	440	102	70-130			
Lead	14.0		"	10.0	3.6	104	70-130			
Manganese	101		"	100	4.9	96	70-130			

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H710050

DTPA Extractable Metals - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------


Batch HQK0061 - EPA 3050B

Matrix Spike (HQK0061-MS1)	Source: H710050-15			Prepared & Analyzed: 11/07/07						
Mercury	0.60		mg/kg	0.500	ND	120	70-130			
Molybdenum	11.9		"	10.0	ND	119	70-130			
Nickel	19.3		"	10.0	7.2	121	70-130			
Selenium	11.1		"	10.0	ND	111	70-130			
Silver	10.1		"	10.0	ND	101	70-130			
Thallium	10.8		"	10.0	ND	108	70-130			
Vanadium	11.0		"	10.0	2.4	86	70-130			
Zinc	102		"	100	7.8	94	70-130			

Matrix Spike Dup (HQK0061-MSD1)	Source: H710050-15			Prepared & Analyzed: 11/07/07						
Antimony	10.5		mg/kg	10.0	ND	105	70-130	6	20	
Arsenic	9.60		"	10.0	0.40	92	70-130	3	20	
Barium	99.3		"	100	3.3	96	70-130	0	20	
Beryllium	12.6		"	10.0	ND	126	70-130	7	20	
Cadmium	12.5		"	10.0	ND	125	70-130	0	20	
Chromium	8.90		"	10.0	ND	89	70-130	3	20	
Cobalt	12.3		"	10.0	0.30	120	70-130	0.8	20	
Copper	10.9		"	10.0	0.70	102	70-130	0	20	
Iron	560		"	100	440	120	70-130	3	20	
Lead	13.8		"	10.0	3.6	102	70-130	1	20	
Manganese	106		"	100	4.9	101	70-130	5	20	
Mercury	0.52		"	0.500	ND	104	70-130	14	20	
Molybdenum	12.1		"	10.0	ND	121	70-130	2	20	
Nickel	18.9		"	10.0	7.2	117	70-130	2	20	
Selenium	12.0		"	10.0	ND	120	70-130	8	20	
Silver	10.8		"	10.0	ND	108	70-130	7	20	
Thallium	9.20		"	10.0	ND	92	70-130	16	20	
Vanadium	11.0		"	10.0	2.4	86	70-130	0	20	
Zinc	102		"	100	7.8	94	70-130	0	20	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager:	Work Order No.: H710050
---	--	----------------------------


Extractable Potassium (K) - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch HQK0056 - EPA 3050B										
Blank (HQK0056-BLK1) Prepared & Analyzed: 11/07/07										
Potassium	ND	20	mg/kg							
LCS (HQK0056-BS1) Prepared & Analyzed: 11/07/07										
Potassium	2.5		mg/kg	2.50		100	80-120			
LCS Dup (HQK0056-BSD1) Prepared & Analyzed: 11/07/07										
Potassium	2.5		mg/kg	2.50		100	80-120	0	20	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H710050

Metals - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQK0046 - EPA 3050B

Prepared: 10/29/07 Analyzed: 10/31/07

Blank (HQK0046-BLK1)

Antimony	ND	2.0	mg/kg							
Arsenic	ND	1.0	"							
Barium	ND	5.0	"							
Beryllium	ND	1.0	"							
Cadmium	ND	1.0	"							
Chromium	ND	1.0	"							
Cobalt	ND	1.0	"							
Copper	ND	2.0	"							
Iron	ND	20	"							
Lead	ND	1.0	"							
Manganese	ND	20	"							
Mercury	ND	0.1	"							
Molybdenum	ND	1.0	"							
Nickel	ND	1.0	"							
Selenium	ND	1.0	"							
Silver	ND	1.0	"							
Thallium	ND	1.0	"							
Vanadium	ND	1.0	"							
Zinc	ND	5.0	"							


LCS (HQK0046-BS1)

Prepared: 10/29/07 Analyzed: 10/31/07

Antimony	10.0	mg/kg	10.0	100	80-120
Arsenic	10.2	"	10.0	102	80-120
Barium	100	"	100	100	80-120
Beryllium	10.3	"	10.0	103	80-120
Cadmium	10.1	"	10.0	101	80-120
Chromium	10.0	"	10.0	100	80-120
Cobalt	10.6	"	10.0	106	80-120
Copper	10.4	"	10.0	104	80-120
Iron	110	"	100	110	80-120
Lead	10.3	"	10.0	103	80-120
Manganese	108	"	100	108	80-120
Mercury	0.42	"	0.500	84	80-120
Molybdenum	9.80	"	10.0	98	80-120
Nickel	10.4	"	10.0	104	80-120
Selenium	10.3	"	10.0	103	80-120
Silver	9.70	"	10.0	97	80-120

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Acreated Pond Project Manager: _____	Work Order No.: H710050
---	---	-----------------------------------

Metals - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%RBC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQK0046 - EPA 3050B


				Prepared: 10/29/07 Analyzed: 10/31/07						
LCS (HQK0046-BS1)										
Thallium	10.0		mg/kg	10.0	100	100	80-120			
Vanadium	10.0		"	10.0	100	100	80-120			
Zinc	100		"	100	100	100	80-120			

				Prepared: 10/29/07 Analyzed: 10/31/07						
LCS Dup (HQK0046-BS1)										
Antimony	10.0		mg/kg	10.0	100	100	80-120	0	20	
Arsenic	10.3		"	10.0	103	103	80-120	1	20	
Barium	100		"	100	100	100	80-120	0	20	
Beryllium	10.4		"	10.0	104	104	80-120	1	20	
Cadmium	10.1		"	10.0	101	101	80-120	0	20	
Chromium	10.0		"	10.0	100	100	80-120	0	20	
Cobalt	10.6		"	10.0	106	106	80-120	0	20	
Copper	10.2		"	10.0	102	102	80-120	2	20	
Iron	108		"	100	108	108	80-120	2	20	
Lead	10.4		"	10.0	104	104	80-120	1	20	
Manganese	109		"	100	109	109	80-120	0.9	20	
Mercury	0.42		"	0.500	84	84	80-120	0	20	
Molybdenum	9.90		"	10.0	99	99	80-120	1	20	
Nickel	10.5		"	10.0	105	105	80-120	1	20	
Selenium	10.2		"	10.0	102	102	80-120	1	20	
Silver	9.80		"	10.0	98	98	80-120	1	20	
Thallium	10.2		"	10.0	102	102	80-120	2	20	
Vanadium	9.90		"	10.0	99	99	80-120	1	20	
Zinc	100		"	100	100	100	80-120	0	20	

		Source: H710050-15		Prepared: 10/29/07 Analyzed: 10/31/07						
Matrix Spike (HQK0046-MS1)										
Antimony	10.3		mg/kg	10.0	ND	103	70-130			
Arsenic	12.8		"	10.0	2.8	100	70-130			
Barium	195		"	100	87	108	70-130			
Beryllium	9.30		"	10.0	ND	93	70-130			
Cadmium	10.5		"	10.0	0.42	101	70-130			
Chromium	37.5		"	10.0	28	95	70-130			
Cobalt	13.7		"	10.0	4.2	95	70-130			
Copper	59.1		"	10.0	49	101	70-130			
Lead	19.7		"	10.0	9.2	105	70-130			
Manganese	288		"	100	190	98	70-130			
Mercury	0.43		"	0.500	ND	86	70-130			

Approved By _____

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H710050

Metals - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------


Batch HQK0046 - EPA 3050B

Matrix Spike (HQK0046-MS1)	Source: H710050-15			Prepared: 10/29/07		Analyzed: 10/31/07			
Molybdenum	11.1		mg/kg	10.0	1.0	101	70-130		
Nickel	40.6		"	10.0	30	106	70-130		
Selenium	10.1		"	10.0	ND	101	70-130		
Silver	10.4		"	10.0	ND	104	70-130		
Thallium	10.0		"	10.0	ND	100	70-130		
Vanadium	40.7		"	10.0	31	97	70-130		
Zinc	196		"	100	92	104	70-130		

Matrix Spike Dup (HQK0046-MSD1)	Source: H710050-15			Prepared: 10/29/07		Analyzed: 10/31/07			
Antimony	10.0		mg/kg	10.0	ND	100	70-130	3	20
Arsenic	12.8		"	10.0	2.8	100	70-130	0	20
Barium	190		"	100	87	103	70-130	3	20
Beryllium	9.10		"	10.0	ND	91	70-130	2	20
Cadmium	10.1		"	10.0	0.42	97	70-130	0.8	20
Chromium	37.2		"	10.0	28	92	70-130	1	20
Cobalt	13.5		"	10.0	4.2	93	70-130	1	20
Copper	58.9		"	10.0	49	99	70-130	0.3	20
Iron	0.00		"	100	13000	NR	70-130		20
Lead	20.5		"	10.0	9.2	113	70-130	4	20
Manganese	284		"	100	190	94	70-130	1	20
Mercury	0.43		"	0.500	ND	86	70-130	0	20
Molybdenum	10.8		"	10.0	1.0	98	70-130	3	20
Nickel	40.1		"	10.0	30	101	70-130	1	20
Selenium	10.0		"	10.0	ND	100	70-130	1	20
Silver	10.1		"	10.0	ND	101	70-130	3	20
Thallium	9.80		"	10.0	ND	98	70-130	2	20
Vanadium	40.4		"	10.0	31	94	70-130	0.7	20
Zinc	193		"	100	92	101	70-130	2	20

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: _____	Work Order No.: H710050
---	--	----------------------------

Metals - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQK0052 - EPA 3050B


Prepared & Analyzed: 11/07/07										
Blank (HQK0052-BLK1)										
Potassium	ND	20	mg/kg							
Calcium	ND	50	"							
Magnesium	ND	20	"							
Sodium	ND	50	"							

Prepared & Analyzed: 11/07/07										
LCS (HQK0052-BS1)										
Calcium	10		mg/kg	10.0		100	80-120			
Magnesium	4.8		"	5.00		96	80-120			
Potassium	5.0		"	5.00		100	80-120			
Sodium	10		"	10.0		100	80-120			

Prepared & Analyzed: 11/07/07										
LCS Dup (HQK0052-BSD1)										
Potassium	5.0		mg/kg	5.00		100	80-120	0	20	
Sodium	10		"	10.0		100	80-120	0	20	
Magnesium	4.8		"	5.00		96	80-120	0	20	
Calcium	10		"	10.0		100	80-120	0	20	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	-----------------------------------

pH - EPA Method 150.1 - Quality Control


Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQK0043 - General Prep

LCS (HQK0043-BS1)	Prepared & Analyzed: 10/31/07									
pH	7.01		pH Units	7.00		100	99-101			

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359




ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	----------------------------

Phosphorous - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch HQK0057 - General Prep										
Prepared & Analyzed: 11/01/07										
Blank (HQK0057-BLK1)										
Phosphorous as P - Bray Method	ND	1.0	mg/kg							
Prepared & Analyzed: 11/01/07										
LCS (HQK0057-BS1)										
Total Phosphorous as P	10.8		mg/kg	10.0		108	80-120			
Prepared & Analyzed: 11/01/07										
LCS Dup (HQK0057-BSD1)										
Total Phosphorous as P	10.9		mg/kg	10.0		109	80-120	0.9	20	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager:	Work Order No.: H710050
---	--	----------------------------

Specific Conductance (EC) - EPA Method 120.1 - Quality Control


Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQK0044 - General Prep

Blank (HQK0044-BLK1)					Prepared: 10/30/07 Analyzed: 11/08/07					
Specific conductance	ND.		5.0 umhos/cm							
LCS (HQK0044-BS1)					Prepared: 10/30/07 Analyzed: 11/08/07					
Specific conductance	94.0		umhos/cm	100		94	80-120			
LCS Dup (HQK0044-BSD1)					Prepared: 10/30/07 Analyzed: 11/08/07					
Specific conductance	97.0		umhos/cm	100		97	80-120	3	20	

Approved By
 Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H710050


Total Dissolved Solids - EPA Method 160.1 - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spiko Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch HQK0045 - General Prep										
Blank (HQK0045-BLK1)				Prepared & Analyzed: 10/31/07						
Total Dissolved Solids	ND	10	mg/L							
LCS (HQK0045-BS1)				Prepared & Analyzed: 10/31/07						
Total Dissolved Solids	1000		mg/L	1000		100	80-120			
LCS Dup (HQK0045-BSD1)				Prepared & Analyzed: 10/31/07						
Total Dissolved Solids	1000		mg/L	1000		100	80-120	0	20	
Matrix Spike (HQK0045-MS1)				Source: H710050-06		Prepared & Analyzed: 10/31/07				
Total Dissolved Solids	3500		mg/L	1000	2600	90	70-130			
Matrix Spike Dup (HQK0045-MSD1)				Source: H710050-06		Prepared & Analyzed: 10/31/07				
Total Dissolved Solids	3470		mg/L	1000	2600	87	70-130	0.9	20	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager:	Work Order No.: H710050
---	--	----------------------------

Total Fixed Solids - Quality Control

Argon Laboratories


Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch HQK0059 - General Prep

Blank (HQK0059-BLK1)		Prepared: 10/29/07 Analyzed: 11/03/07								
Total Fixed Solids	ND	50	mg/L							
Duplicate (HQK0059-DUP1)		Source: H710050-01 Prepared: 10/29/07 Analyzed: 11/03/07								
Total Fixed Solids	310000	50	mg/L		310000			0	20	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager:	Work Order No.: H710050
---	--	----------------------------


Total Kjeldahl Nitrogen by EPA 351.2 - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch HQK0054 - General Prep										
Blank (HQK0054-BLK1)				Prepared & Analyzed: 10/30/07						
Total Kjeldahl Nitrogen	ND	5.0	mg/kg							
LCS (HQK0054-BS1)				Prepared & Analyzed: 10/30/07						
Total Kjeldahl Nitrogen	10.1		mg/kg	10.0	100	101	80-120			
LCS Dup (HQK0054-BSD1)				Prepared & Analyzed: 10/30/07						
Total Kjeldahl Nitrogen	10.1		mg/kg	10.0	101	101	80-120	0	20	
Matrix Spike (HQK0054-MS1)				Source: H710050-11		Prepared & Analyzed: 10/30/07				
Total Kjeldahl Nitrogen	1310		mg/kg	10.0	1300	100	70-130			
Matrix Spike Dup (HQK0054-MSD1)				Source: H710050-11		Prepared & Analyzed: 10/30/07				
Total Kjeldahl Nitrogen	1310		mg/kg	10.0	1300	100	70-130	0	20	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc. 554 S. Yosemite Ave. Oakdale, CA 95361	Project Number: 102-11 Project Name: ConAgra Aerated Pond Project Manager: -----	Work Order No.: H710050
---	--	----------------------------


Total Organic Carbon - Quality Control

Argon Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch HQK0060 - General Prep										
Blank (HQK0060-BLK1)										
Prepared: 10/01/07 Analyzed: 11/01/07										
Total Organic Carbon	ND	200	mg/kg							
LCS (HQK0060-BS1)										
Prepared: 10/01/07 Analyzed: 11/01/07										
Total Organic Carbon	60.0		mg/kg	60.0		100	70-130			
LCS Dup (HQK0060-BSD1)										
Prepared: 10/01/07 Analyzed: 11/01/07										
Total Organic Carbon	60.0		mg/kg	60.0		100	70-130	0	20	

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359



ConAgra Foods Inc.
554 S. Yosemite Ave.
Oakdale, CA 95361

Project Number: 102-11
Project Name: ConAgra Aerated Pond
Project Manager: -----

Work Order No.:
H710050

Notes and Definitions

- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

Approved By

Argon Laboratories, Inc. California D.O.H.S. Cert. #2359

APPENDIX B

**LABORATORY ANALYTICAL RESULTS OF MAY 2005 APPLICATION
SOILS**



A & L WESTERN AGRICULTURAL LABORATORIES, INC.
 1311 Woodland Avenue, Suite 1 • Modesto, California 95351 • (209) 529-4080

Report No: 05-126-029
 Preliminary Report

Send to: JOHN BRICHETTO
 P O BOX 11600
 OAKDALE, CA 95361
 Attention: Name

Submitted by: John Brichetto
 Sampled by: John Brichetto

Date Sampled: 05/06/2005
 Date Received: 05/06/2005
 Date Reported: 05/11/2005

Sample ID: Crane Rd. Top

Lab Number: 50433

503 METALS ANALYSIS REPORT

Detection Limit mg/kg	Analyte	Level Found mg/kg	Method Code
0.5	Arsenic	BDL	EPA SW846-6010
0.1	Cadmium	2.1	EPA SW846-6010
0.5	Chromium	5.9	EPA SW846-6010
0.1	Copper	3.0	EPA SW846-6010
1.2	Lead	BDL	EPA SW846-6010
0.05	Mercury	Pending	EPA SW846-7471A
1.0	Molybdenum	BDL	EPA SW846-6010
0.1	Nickel	7.8	EPA SW846-6010
5.5	Selenium	BDL	EPA SW846-6010
0.1	Zinc	28.9	EPA SW846-6010

BDL - INDICATES THE LEVEL FOUND IS BELOW THE ESTABLISHED DETECTION LIMIT FOR THAT ANALYTE

A & L Western Agricultural Laboratories

Robert Butterfield
 Laboratory Director

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization. © A & L Western Agri. Labs, Inc., 2001

209 847 3288

Brichetto C

04:35PM



A&L WESTERN LABORATORIES, INC.

A & L WESTERN AGRICULTURAL LABORATORIES

1311 Woodland Ave. • Ste. #1 • Modesto, CA 95351 • (209) 529-1080 • FAX (209) 529-4736

05-126-028

REPORT NUMBER

SAMPLES
SUBMITTED
BY:

CUSTOMER

JOHN BRICHETTO
PO BOX 11500
OAKDALE, CA 95361-

SEND
TO:

ORGANIC AMENDMENT REPORT

LAB NO. 50433 DATE 05/12/2005 PAGE 1

SAMPLE NUMBER	REPORT OF ANALYSIS-PARTS PER MILLION														
	N NITRO-GEN	P PHOS-PHORUS	P ₂ O ₅ PHOS-PHATE	K POTAS-SIUM	K ₂ O POTASH	S SULFUR	Mg MAG-NESEIUM	Ca CALCIUM	Na SODIUM	Fe IRON	Al ALUMI-NUM	Mn MANGA-NESE	Cu COPPER	Zn ZINC	B
CRANE RD TOP	0.01	0.03	0.07	0.160	0.193	0.010	0.230	0.150	0.010	15.120	1786	139	4	21	60.0

Walnuts

POUNDS OF NUTRIENTS/TON

SAMPLE NUMBER	REPORT OF ANALYSIS-PARTS PER MILLION														
	N NITRO-GEN	P PHOS-PHORUS	P ₂ O ₅ PHOS-PHATE	K POTAS-SIUM	K ₂ O POTASH	S SULFUR	Mg MAG-NESEIUM	Ca CALCIUM	Na SODIUM	Fe IRON	Al ALUMI-NUM	Mn MANGA-NESE	Cu COPPER	Zn ZINC	B
CRANE RD	0.3	0.6	1.4	3.2	3.9	0.2	4.6	3.0	0.2	30.2	3.8	0.3	0.1	0.1	0.1

- Reported on an as-received basis Moisture = %
- Reported on a dry basis Moisture = 4.10 %

Remarks:

To convert to pounds of nutrients/ton as received, multiply pounds of nutrients/ton as reported by (100 - moisture %)/100.

pH = 7.2
 C:N Ratio = 35:1
 Soluble Salts = 0.2 dS/m
 Organic Matter = 0.85 %
 Ammonia Nitrogen = <0.0003 %
 Nitrate Nitrogen = 0.9004 %
 Chloride Nitrogen = 0.22 %
 Volatile Solids = 0.85 %

Our reports and letters are for the exclusive and confidential use of our clients, not to be reproduced in whole or in part, nor may any reference be made to the work, the results or the company in any advertising, news release, or other public announcement without obtaining our prior written authorization.

This report applies only to the samples tested. Samples are retained a maximum of thirty days after testing.

ROBERT BRICHETTO
BY



A & L WESTERN AGRICULTURAL LABORATORIES, INC.
 1311 Woodland Avenue, Suite 1 • Modesto, California 95351 • (209) 529-4080

Account No: 9999

Report No: 05-126-029
 Preliminary Report

Send to: JOHN BRICHETTO
 P O BOX 11600
 OAKDALE, CA 95361
 Attention: Name

Submitted by: John Brichetto
 Sampled by: John Brichetto

Date Sampled: 05/06/2005
 Date Received: 05/06/2005
 Date Reported: 05/11/2005

Sample ID: Brady Rd. North End

Lab Number: 50435

503 METALS ANALYSIS REPORT

Detection Limit mg/kg	Analyte	Level Found mg/kg	Method Code
0.5	Arsenic	BDL	EPA SW846-6010
0.1	Cadmium	6.5	EPA SW846-6010
0.5	Chromium	37.3	EPA SW846-6010
0.1	Copper	20.8	EPA SW846-6010
1.2	Lead	4.2	EPA SW846-6010
0.05	Mercury	Pending	EPA SW846-7471A
1.0	Molybdenum	BDL	EPA SW846-6010
0.1	Nickel	38.5	EPA SW846-6010
5.5	Selenium	BDL	EPA SW846-6010
0.1	Zinc	67.3	EPA SW846-6010

BDL - INDICATES THE LEVEL FOUND IS BELOW THE ESTABLISHED DETECTION LIMIT FOR THAT ANALYTE.

A & L Western Agricultural Laboratories

Robert Butterfield
 Laboratory Director

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization. © A & L Western Agri. Labs, Inc., 2001



REPORT NUMBER

A & L WESTERN AGRICULTURAL LABORATORIES

1311 Woodland Ave. • Ste. #1 • Modesto, CA 95351 • (209) 529-4080 • FAX (209) 529-4736

05-126-029

Client No: 99999-D

ASL WESTERN LABORATORIES, INC.

SAMPLES
SUBMITTED
BY:

CUSTOMER

SEND
TO:

JOHN BRICHETTO
PO BOX 11600
OAKDALE, CA 95361-

ORGANIC AMENDMENT REPORT

LAB NO. 50435 DATE 05/12/2005 PAGE 2

SAMPLE NUMBER	REPORT OF ANALYSIS-PARTS PER MILLION														
	N NITRO-GEN	P PHOS-PHORUS	P2O5 PHOS-PHATE	K POTAS-SIUM	K2O POTASH	S SULFUR	Mg. MAG. NESIUM	Ca CALCIUM	Na SODIUM	Fe IRON	Al ALUM- NUM	Mn MANGA- NESE	Cu COPPER	Zn ZINC	B
BRADY RD. NORTH END	0.07	0.08	0.21	0.320	0.458	0.010	0.720	0.480	0.030	18340	7895	375	22	71	83.0

REPORT OF ANALYSIS-PERCENT

SAMPLE NUMBER	REPORT OF ANALYSIS-PERCENT														
	N NITRO-GEN	P PHOS-PHORUS	P2O5 PHOS-PHATE	K POTAS-SIUM	K2O POTASH	S SULFUR	Mg. MAG. NESIUM	Ca CALCIUM	Na SODIUM	Fe IRON	Al ALUM- NUM	Mn MANGA- NESE	Cu COPPER	Zn ZINC	B
BRADY RD	1.4	1.6	4.1	7.6	9.2	0.2	14.4	9.8	0.6	36.7	15.8	0.8	0.1	0.1	0.2

POUNDS OF NUTRIENTS/TON

Reported on an as-received basis Moisture = %
 Reported on a dry basis Moisture = 9.59 %
 Remarks:
 To convert to pounds of nutrients/ton as received, multiply pounds of nutrients/ton as reported by (100 - moisture %)/100.

Our reports and letters are for the exclusive and confidential use of our clients, not to be reproduced in whole or in part, nor may any reference be made to the work, the results of the company in any advertising, news release, or other publication, without obtaining our prior written authorization.

This report applies only to the sample(s) tested. Samples are retained a maximum of thirty days after testing.

By:  ROBERT BUTCHER

walnuts



A & L WESTERN AGRICULTURAL LABORATORIES

1311 Woodland Ave. • Ste. #1 • Modesto, CA 95351 • (209) 529-4080 • FAX (209) 529-4736

05-126-029

REPORT NUMBER

ALL WESTERN LABORATORIES, INC.

SAMPLES
SUBMITTED
BY:

Client No: 99999-D

CUSTOMER

SEND
TO:

JOHN BRICHETTO
PO BOX 11600
CAKDALE, CA 95361-

LAB NO. 50438 DATE 05/12/2005 PAGE 3

ORGANIC AMENDMENT REPORT

SAMPLE NUMBER	REPORT OF ANALYSIS-PERCENT										REPORT OF ANALYSIS-PARTS PER MILLION				
	N NITRO-GEN	P PHOS-PHORUS	P ₂ O ₅ PHOS-PHATE	K POTAS-SIUM	K ₂ O POTASH	S SULFUR	Mg MAG-NESEIUM	Ca CALCIUM	Na SODIUM	Fe IRON	Al ALUMI-NIUM	Mn MANGA-NESE	Cu COPPER	Zn ZINC	B
26 M1 RD. BLK 5	0.05	0.01	0.02	0.070	0.084	0.010	0.210	0.130	0.010	12970	2372	89	3	21	52.0

Almonds

SAMPLE NUMBER	REPORT OF ANALYSIS-PERCENT										REPORT OF ANALYSIS-PARTS PER MILLION				
	N NITRO-GEN	P PHOS-PHORUS	P ₂ O ₅ PHOS-PHATE	K POTAS-SIUM	K ₂ O POTASH	S SULFUR	Mg MAG-NESEIUM	Ca CALCIUM	Na SODIUM	Fe IRON	Al ALUMI-NIUM	Mn MANGA-NESE	Cu COPPER	Zn ZINC	B
26 M1 RD	1.0	0.2	0.5	1.4	1.7	0.2	4.2	2.6	0.2	25.9	4.7	0.2	0.1	0.1	0.1

POUNDS OF NUTRIENTS/TON

Reported on an as-received basis Moisture = %
 Reported on a dry basis Moisture = 12.49 %
 Remarks:
 To convert to pounds of nutrients/ton as received, multiply pounds of nutrients/ton as reported by (100 - moisture %)/100.
 Ammonia Nitrogen = 0.0003 %
 Nitrate Nitrogen = 0.0016 %
 Chloride = 0.19 %
 Organic Nitrogen = 0.048 %
 Volatile Solids = 4.33 %

Our reports and letters are for the exclusive and confidential use of our clients, not to be reproduced in whole or in part, nor may any reference be made to the work, the results or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

This report applies only to the sample(s) tested. Samples are retained a maximum of thirty days after testing.

By:

A & L WESTERN AGRICULTURAL LABORATORIES, INC.
 1311 Woodland Avenue, Suite 1 • Modesto, California 95351 • (209) 529-4080



Report No: 05-126-029
 Preliminary Report

Send to: JOHN BRICHETTO
 P O BOX 11600
 OAKDALE, CA 95361
 Attention: Name

Submitted by: John Brichetto
 Sampled by: John Brichetto

Date Sampled: 05/06/2005
 Date Received: 05/06/2005
 Date Reported: 05/11/2005

Sample ID: 26 Mile Rd. Block 5

Lab Number: 50438

503 METALS ANALYSIS REPORT

Detection Limit	Analyte	Level Found	Method Code
mg/kg		mg/kg	
0.5	Arsenic	BDL	EPA SW846-6010
0.1	Cadmium	5.2	EPA SW846-6010
0.5	Chromium	13.3	EPA SW846-6010
0.1	Copper	7.0	EPA SW846-6010
1.2	Lead	BDL	EPA SW846-6010
0.05	Mercury	Pending	EPA SW846-7471A
1.0	Molybdenum	BDL	EPA SW846-6010
0.1	Nickel	17.1	EPA SW846-6010
5.5	Selenium	BDL	EPA SW846-6010
0.1	Zinc	55.1	EPA SW846-6010

BDL - INDICATES THE LEVEL FOUND IS BELOW THE ESTABLISHED DETECTION LIMIT FOR THAT ANALYTE

A & L Western Agricultural Laboratories

Robert Butterfield
 Laboratory Director

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization. © A & L Western Agri. Labs, Inc., 2001

7 4

209 847 3288

Brichetto C

18 05 04:35a



A & L WESTERN AGRICULTURAL LABORATORIES, INC.
 1311 Woodland Avenue, Suite 1 • Modesto, California 95351 • (209) 529-4080

Account No: 9999

Report No: 05-126-029
 Preliminary Report

Send to: JOHN BRICHETTO
 P O BOX 11600
 OAKDALE, CA 95361
 Attention: Name

Submitted by: John Brichetto
 Sampled by: John Brichetto

Date Sampled: 05/06/2005
 Date Received: 05/06/2005
 Date Reported: 05/11/2005

Sample ID: 26 Mile Rd. Block 6-7

Lab Number: 50439

503 METALS ANALYSIS REPORT

Detection Limit	Analyte	Level Found	Method Code
0.5 mg/kg	Arsenic	BDL	EPA SW846-6010
0.1	Cadmium	4.1	EPA SW846-6010
0.5	Chromium	19.2	EPA SW846-6010
0.1	Copper	5.7	EPA SW846-6010
1.2	Lead	3.7	EPA SW846-6010
0.05	Mercury	Pending	EPA SW846-7471A
1.0	Molybdenum	BDL	EPA SW846-6010
0.1	Nickel	5.4	EPA SW846-6010
5.5	Selenium	BDL	EPA SW846-6010
0.1	Zinc	70.0	EPA SW846-6010

BDL - INDICATES THE LEVEL FOUND IS BELOW THE ESTABLISHED DETECTION LIMIT FOR THAT ANALYTE

A & L Western Agricultural Laboratories

Robert Butterfield
 Laboratory Director

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization. © A & L Western Agr. Labs, Inc., 2001

REPORT NUMBER

05-128-029

A & L WESTERN AGRICULTURAL LABORATORIES

1311 Woodland Ave. • Ste. #1 • Modesto, CA 95351 • (209) 529-4080 • FAX (209) 529-4736



ASL WESTERN LABORATORIES, INC.

SEND TO:

JOHN BRICHETTO
PO BOX 11600
CAKDALE, CA 95361-

CUSTOMER

SAMPLES SUBMITTED BY:

Client No: 99999-D

ORGANIC AMENDMENT REPORT

LAB NO. 50439 DATE 05/12/2005 PAGE 4

SAMPLE NUMBER	REPORT OF ANALYSIS-PERCENT										REPORT OF ANALYSIS-PARTS PER MILLION				
	N NITRO-GEN	P PHOS-PHORUS	P ₂ O ₅ PHOS-PHATE	K POTAS-SIUM	K ₂ O POTASH	S SULFUR	Mg MAG-NESEIUM	Ca CALCIUM	Na SODIUM	Fe IRON	Al ALUMI-NUM	Mn MANGA-NESE	Cu COPPER	Zn ZINC	B
25 MI RD BLK 6&7	0.02	0.01	0.02	0.050	0.080	0.010	0.150	0.160	0.010	12.150	32.50	163	4	19	66.0

*Open
100%
without carbon
ForageMIX*

POUNDS OF NUTRIENTS/TON

SAMPLE NUMBER	N NITRO-GEN	P PHOS-PHORUS	P ₂ O ₅ PHOS-PHATE	K POTAS-SIUM	K ₂ O POTASH	S SULFUR	Mg MAG-NESEIUM	Ca CALCIUM	Na SODIUM	Fe IRON	Al ALUMI-NUM	Mn MANGA-NESE	Cu COPPER	Zn ZINC	B
25 MI RD	1.7	0.2	0.5	1.0	1.2	0.2	3.0	3.2	0.2	24.3	6.5	0.3	0.1	0.7	66.1

- Reported on an as-received basis
- Reported on a dry basis

Moisture = %
 Moisture = 8.95 %
 pH = 7.0
 C:N Ratio = 24:1
 Soluble Salts = 0.5 dS/m
 Organic Matter = 3.53 %
 Ammonia Nitrogen = <0.0003 %
 Nitrate Nitrogen = 0.0008 %
 Chloride = 0.20 %
 Organic Nitrogen = 0.083 %
 Volatile Solids = 3.53 %

Remarks:
 To convert to pounds of nutrients/ton as received, multiply pounds of nutrients/ton as reported by (100 - moisture %)/100.

Our reports and labels are for the exclusive and confidential use of our clients, not to be reproduced in whole or in part, nor may any reference be made to the work, the results or the company in any advertising, news release, or other public announcement without obtaining our prior written authorization.

This report applies only to the sample(s) tested. Samples are retained a maximum of thirty days after testing.

ROBERT SUTHERFIELD



A & L WESTERN LABORATORIES, INC.

1311 Woodland Ave. #1 • Modesto, California 95351 • Phone 209-529-4080

#914

CHAIN OF CUSTODY

05 18 105

MS. Lori DREHN

Client CONALRA OAKDALE PAT DUNN Phone 916 941-3850
 Address 554 YOSEMITE DUNNVIEW Phone 209-848-7930
Oakdale CA Zip 95660 CC to: _____


Signature of person authorizing work under terms stated below _____

*Not 30 days. All accounts past due will be subject to interest charges of 1.5% per month.
 *Hazardous materials are the property of the client. The client is responsible for proper disposal of hazardous wastes. Clients not picking up hazardous wastes may be assessed an appropriate fee.

PROJECT ID			No. of Containers	ANALYSIS										REMARKS									
SAMPLED BY: (signature): <i>[Signature]</i>				SIOC TAN ME-N 249 ✓ TOC (WIPY) 540 ✓ Molybdenum ✓ CEC (WIPY) 551 ✓ TN (WIPY) 551 ✓ C: Nitrogen 551 ✓ SO3 Metals 551 ✓																			
Date	Time	Sample Location		No. of Containers											REMARKS								
		Grab	Comp.																				
6/3/05	11:00	X		63-28-71 (0-1)	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	54055
6/3/05	11:10	X		63-28-26 "	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	54056
6/3/05	11:20	X		64-31-40 "	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	54057
6/3/05	11:25	X		63-25-15 "	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	54058
6/3/05	12:30	X		02-59-04 "	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	54059
Relinquished by (signature): <i>[Signature]</i>				Date	Time	Received by (signature): <i>[Signature]</i>				Date	Time												
Relinquished by (signature):				Date	Time	Received by (signature):				Date	Time												
Relinquished by (signature):				Date	Time	Received by (signature):				Date	Time												
Relinquished by (signature):				Date	Time	Received by (signature):				Date	Time												
Relinquished by (signature):				Date	Time	Received by (signature):				Date	Time												
Site Time:						Driving Time:																	
Start:		Finish:		Total Hours:		Start:		Finish:		Total Hours:		Start:		Finish:		Total Hours:							

Dedicated Exclusively to Providing Quality Analytical Services

✓ metals
✓ rest



A & L WESTERN AGRICULTURAL LABORATORIES

1311 Woodland Ave. • Ste. #1 • Modesto, CA 95351 • (209) 529-4080 • FAX (209) 529-4736
Client No: 5016-M

05-181-105

REPORT NUMBER

CON AGRA OAKDALE
554 S YOSEMITE
OAKDALE, CA 95361

Grower: MUD WATER

Submitted by: PAT DUNN

Date: 07/06/2005

Page 1

Soil Salinity Report

Sample Number	Lab Number	SAR	ESP	Na meq/L	Ca meq/L	Mg meq/L	pH	CO ₃ meq/L	HCO ₃ meq/L	E.C. dS/m	Cl meq/L	B ppm	Saturation %
63281	54055	0.8	< 0.1	0.5	0.6	0.2	5.0	0.0	0.4	0.1	0.1	0.1	24.8
63282	54056	0.6	< 0.1	0.6	1.5	0.5	6.0	0.0	1.1	0.2	0.3	0.2	27.1
64314	54057	0.3	< 0.1	0.6	5.8	2.4	4.8	0.0	0.8	0.5	0.1	0.1	29.4
63251	54058	1.3	0.7	1.5	1.9	0.7	7.5	0.0	1.5	0.3	0.8	0.1	30.4
02590	54059	0.5	< 0.1	1.1	6.5	1.7	5.4	0.0	0.7	0.5	0.1	0.1	25.6

A & L WESTERN AGRICULTURAL LABORATORIES, INC.

Mike Buttress
MIKE BUTTRESS, CPAG

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining your prior written authorization. Copyright 1977

REPORT NUMBER
15-181-105

A & L WESTERN AGRICULTURAL LABORATORIES

1311 Woodland Ave. • Ste. #1 • Modesto, CA 95351 • (209) 529-4080 • FAX (209) 529-4736

Client No: 5016-M

GROWER: MUD WATER
SUBMITTED BY: PAT DUNN

CQN AGRA OAKDALE
554 S YOSEMITE
OAKDALE, CA 95361

END

jk



A & L WESTERN LABORATORIES, INC.

SOIL ANALYSIS REPORT

(SEE EXPLANATION ON BACK)

07/06/2005 PAGE 1

SAMPLE NUMBER	LAB NUMBER	ORGANIC MATTER RATE (US/A)	PHOSPHORUS		POTASSIUM (ppm-K RATE)	MAGNESIUM (ppm-Mg RATE)	CALCIUM (ppm-Ca RATE)	SODIUM (ppm-Na RATE)	SOIL pH	BUFFER INDEX	HYDROGEN (meq/100g)	CATION EXCHANGE CAPACITY (meq/100g)	PERCENT CATION SATURATION (COMPUTED)				
			P (Weak Bray)	P (NaHCO ₃ Clean Method)									Ca	Mg	Na		
1281	54055	1.0L	23M	20**	70M	61L	605L	13VL	5.0	6.7	2.6	6.4	2.8	7.9	47.4	41.0	0.9
1282	54056	1.4L	51VH	32**	142M	132L	1607H	22VL	6.0	6.8	1.7	11.2	3.2	9.6	71.3	15.0	0.8
1314	54057	2.0L	11L	17**	171M	232M	1429L	24VL	4.8	6.3	8.5	18.1	2.4	10.5	39.5	47.0	0.6
1251	54058	1.1L	43VH	35VH	357VH	128M	1238VH	17VL	7.5		0.0	8.2	11.1	12.8	75.1	0.0	0.9
1590	54059	1.5L	30H	31**	39L	75L	872L	29L	5.4	6.7	2.1	7.3	1.4	8.5	60.0	28.5	1.7

** NaHCO₃-P unreliable at this soil pH

SAMPLE NUMBER	NITROGEN (ppm-N RATE)	SULFUR (ppm-S RATE)	ZINC (ppm-Zn RATE)	MANGANESE (ppm-Mn RATE)	IRON (ppm-Fe RATE)	COPPER (ppm-Cu RATE)	BORON (ppm-B RATE)	EXCESS FLUORIDE (ppm-F RATE)	SOLUBLE SALTS (mmoles/cm RATE)	CHLORIDE (ppm-CL RATE)	PARTICLE SIZE ANALYSIS						
											NO ₃ -N	SO ₄ -S	SAND %	SILT %	CLAY %		
1281	2VL	8L	0.5VL	17H	118VH	1.1M	0.1VL	L	0.1VL								
1282	6L	5L	1.3M	20H	42VH	0.9M	0.4L	L	0.2VL								
1314	26H	3VL	0.9L	14H	117VH	0.8L	0.2VL	L	0.5L								
1251	4VL	6L	3.4H	14H	28VH	4.1VH	0.1VL	L	0.3L								
1590	37H	8L	1.8M	13H	47VH	0.7L	0.2VL	L	0.5L								

This report applies only to the sample(s) tested. Samples are retained a maximum of thirty days after testing.

A & L WESTERN AGRICULTURAL LABORATORIES

BY: *Mike Buttress*

MIKE BUTTRESS, CPAG

CODE TO RATING: VERY LOW (VL), LOW (L), MEDIUM (M), HIGH (H), VERY HIGH (VH), AND NONE (N).

MULTIPLY THE RESULTS IN ppm BY 4.8 TO CONVERT TO LBS. PER ACRE P₂O₅
MULTIPLY THE RESULTS IN ppm BY 2.4 TO CONVERT TO LBS. PER ACRE K₂O

A & L WESTERN AGRICULTURAL LABORATORIES

1311 Woodland Ave. • Ste. #1 • Modesto, CA 95351 • (209) 529-4080 • FAX (209) 529-4736

Client No: 5016-#1



A&L WESTERN LABORATORIES, INC.

GROWER: MUD WATER

SUBMITTED BY: PAT DUNN

COM ASRA OAKDALE
554 S YOSEMITE
OAKDALE, CA 95361

SOIL ANALYSIS REPORT

(SEE EXPLANATION ON BACK)

07/08/2005 PAGE 1

SAMPLE NUMBER	LAB NUMBER	ORGANIC MATTER RATE (%)	PHOSPHORUS (ppm) (WATER SOLUBLE)	POTASSIUM (ppm)	MAGNESIUM (ppm)	CALCIUM (ppm)	SODIUM (ppm)	SOIL pH	BUFFER INDEX	HYDROGEN ION (meq/100g)	CATION EXCHANGE CAPACITY (meq/100g)	PERCENT CATION SATURATION (COMPUTED)						
												Ca	Mg					
1281	54055	1.0L	50	23M	20**	70M	61L	605L	19VL	5.0	6.7	2.6	5.4	2.8	7.9	47.4	41.0	0.9
1282	54056	1.4L	57	51VH	32**	142M	132L	1607H	22M	5.0	6.8	7.1	11.2	3.2	9.8	79.3	19.5	0.8
1314	54057	2.0L	69	11L	17**	171M	232M	7429L	24VL	4.9	6.3	8.5	18.1	2.4	10.5	39.5	47.0	0.8
1251	54058	1.1L	52	43VH	35VH	357VH	129M	1238VH	17VL	7.5		0.0	8.2	11.1	12.8	75.1	0.0	0.9
1590	54059	1.5L	61	30H	31**	39L	75L	872L	29L	5.4	6.7	2.1	7.3	1.4	8.5	60.0	28.5	1.7

* NERCUS-P unreliable at this soil pH

SAMPLE NUMBER	NITROGEN (ppm)	SULFUR (ppm)	ZINC (ppm)	MANGANESE (ppm)	IRON (ppm)	COPPER (ppm)	BORON (ppm)	EXCESS AME RATE	SOLUBLE SALTS (ppm)	CHLORIDE (ppm)	PARTICLE SIZE ANALYSIS			
											SAND	SILT	CLAY	
1281	2VL	8L	0.5VL	17H	118VH	1.1M	0.1VL	L	0.1VL					
1282	6L	5L	1.3M	20H	42VH	0.9M	0.4L	L	0.2VL					
1314	26H	3VL	0.9L	14H	117VH	0.8L	0.2VL	L	0.5L					
1251	4VL	6L	3.4H	14H	28VH	4.1VH	0.1VL	L	0.3L					
1590	37H	8L	1.8M	13H	47VH	0.7L	0.2VL	L	0.5L					

This report applies only to the sample(s) tested. Samples are retained a maximum of thirty days after testing.


A & L WESTERN AGRICULTURAL LABORATORIES

BY MIKE BUTTRESS, CRAG

CODE TO RATINGS: VERY LOW (VL), LOW (L), MEDIUM (M), HIGH (H), VERY (VH), AND NONE (N).
 ENR - ESTIMATED NITROGEN RELEASE
 ** MULTIPY THE RESULTS IN ppm BY 4.5 TO CONVERT TO LBS. PER ACRE P205
 *** MULTIPY THE RESULTS IN ppm BY 24 TO CONVERT TO LBS. PER ACRE K2O

REPORT NUMBER
15-181-105

A & L WESTERN AGRICULTURAL LABORATORIES
1311 Woodland Ave. • Ste. #1 • Modesto, CA 95351 • (209) 529-4080 • FAX (209) 529-4736
Client No: 5016-M



ABL WESTERN LABORATORIES, INC.

GROWER: MUD WATER

ND. CON: AGRA OAKDALE
554 S. YOSEMITE
OAKDALE, CA 95361

SUBMITTED BY: PAT DUNN

SOIL ANALYSIS REPORT

(SEE EXPLANATION ON BACK)

DATE OF REPORT: 07/08/2005

PAGE

SAMPLE NUMBER	LAB NUMBER	ORGANIC MATTER (%)	PHOSPHORUS (ppm)		MAGNESIUM (ppm)		CALCIUM (ppm)		SODIUM (ppm)		SOIL pH	SOLUBLE SALTS (ppm)	CHLORIDE (ppm)	BORON (ppm)	COPPER (ppm)	IRON (ppm)	MANGANESE (ppm)	ZINC (ppm)	SULFUR (ppm)	NITROGEN (ppm)	CATION EXCHANGE CAPACITY (meq/100g)	HYDROGEN ION CONCENTRATION (pH)	PERCENT CATION SATURATION (COMBINED)		
			(Mg)	(P)	(Mg)	(P)	(Ca)	(Na)	(Ca)	(Na)													(Ca)	(Na)	(Ca)
3284	54056	1.9L	59	23M	20**	70M	81L	605L	13VL	5.0	5.0	0.1VL	0.1VL	0.1VL	1.1VL	112VH	17H	0.5VL	3L	2VL	8.4	2.8	47.4	41.0	0.3
3282	54056	1.4L	57	51VH	32**	142M	132H	1907H	22VL	5.0	5.0	0.1VL	0.1VL	0.1VL	1.1VL	42VH	20H	1.3M	5L	6L	8.1	2.4	39.5	47.0	0.6
3214	54057	2.0L	69	11L	17**	177M	232M	1428L	24VL	4.8	6.3	0.5L	0.2VL	0.2VL	0.8L	117VH	14H	0.9L	3VL	26H	8.5	2.4	10.5	39.5	0.6
3251	54058	1.1L	52	43VH	35VH	357VH	123M	1238VH	17VL	7.5	7.5	0.3L	0.1VL	0.1VL	1.4H	28VH	14H	3.4H	6L	4VL	8.2	11.7	12.8	75.1	0.0
3590	54059	1.5L	61	30H	31**	39L	75L	872L	29L	5.4	8.7	0.5L	0.2VL	0.2VL	0.7L	47VH	13H	1.8M	3L	37H	7.3	1.4	8.5	60.0	1.7

SAMPLE NUMBER	NITROGEN (ppm)	SULFUR (ppm)	ZINC (ppm)	MANGANESE (ppm)	IRON (ppm)	COPPER (ppm)	BORON (ppm)	EXCESS LIMB (ppm)	SOLUBLE SALTS (ppm)	CHLORIDE (ppm)	PARTICULATE ANALYSIS	
											SAND (%)	SILT (%)
3281	2VL	3L	0.5VL	17H	112VH	1.1M	0.1VL	L	0.1VL	0.1VL		
3282	6L	5L	1.3M	20H	42VH	0.9M	0.4L	L	0.2VL	0.2VL		
4314	26H	3VL	0.9L	14H	117VH	0.8L	0.2VL	L	0.5L	0.5L		
3251	4VL	6L	3.4H	14H	28VH	4.1VH	0.1VL	L	0.3L	0.3L		
2590	37H	3L	1.8M	13H	47VH	0.7L	0.2VL	L	0.5L	0.5L		

This report applies only to the sample(s) tested. Samples are retained a maximum of thirty days after testing.

A & L WESTERN AGRICULTURAL LABORATORIES

BY: MIKE BUTTRESS, CPAG

MULTIPLY THE RESULTS IN ppm BY 4.5 TO CONVERT TO LBS. PER ACRE P205
MULTIPLY THE RESULTS IN ppm BY 2.4 TO CONVERT TO LBS. PER ACRE K2O

CODE TO RATING: VERY LOW (VL), LOW (L), MEDIUM (M), HIGH (H), VERY (VH), AND NONE (N).
** FOR ESTIMATED NITROGEN RELEASE

A & L WESTERN AGRICULTURAL LABORATORIES, INC.
 1311 Woodland Avenue, Suite 1 • Modesto, California 95351 • (209) 529-4080



Report No: 05-181-105

Account No: 5016

Send to: CON AGRA-OAKDALE
 554 S. YOSEMITE
 OAKDALE, CA 95361

Project Id: MUD WATER

Submitted by: Pat Dunn

Date Received: 06/30/2005
 Date Reported: 07/07/2005

Lab Number: 54059

Sample ID: 02-59-04

SOIL ANALYSIS REPORT

Detection Limit	Analyte	Level Found
50 mg/kg	Total Kjeldahl Nitrogen	973 mg/kg
2 mg/kg	NH ₄ -N	BDL
0.1 %	Total Organic Carbon	0.87 %
0.1 %	Moisture	6.18 %
1.0 meq/100g	Cation Exchange Capacity	12.2 meq/100g
Calculated	C:N Ratio	9:1
Calculated	Total Nitrogen	978 mg/kg

BDL - INDICATED THE LEVEL FOUND IS BELOW THE ESTABLISHED DETECTION LIMIT FOR THAT ANALYTE

A & L Western Agricultural Laboratories

Robert Butterfield
 Laboratory Director

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization. © A & L Western Agr. Labs, Inc., 2001

A & L WESTERN AGRICULTURAL LABORATORIES, INC.
1311 Woodland Avenue, Suite 1 • Modesto, California 95351 • (209) 529-4080



Account No: 5016

Report No: 05-181-105

Submitted by: Pat Dunn

Project Id: MUD WATER

Send to: CON AGRA-OAKDALE
554 S. YOSEMITE
OAKDALE, CA 95361

Date Received: 06/30/2005
Date Reported: 07/07/2005

Sample ID: 63-25-15

Lab Number: 54058

SOIL ANALYSIS REPORT

Detection Limit	Analyte	Level Found
50 mg/kg	Total Kjeldahl Nitrogen	750 mg/kg
2 mg/kg	NH ₄ -N	BDL
0.1 %	Total Organic Carbon	0.64 %
0.1 %	Moisture	3.68 %
1.0 meq/100g	Cation Exchange Capacity	12.8 meq/100g
Calculated	C:N Ratio	9:1
Calculated	Total Nitrogen	758 mg/kg

BDL - INDICATED THE LEVEL FOUND IS BELOW THE ESTABLISHED DETECTION LIMIT FOR THAT ANALYTE

A & L Western Agricultural Laboratories

Robert Butterfield
Laboratory Director

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization. © A & L Western Agri. Labs, Inc., 2001

A & L WESTERN AGRICULTURAL LABORATORIES, INC.
1311 Woodland Avenue, Suite 1 • Modesto, California 95351 • (209) 529-4080



Account No: 5016

Report No: 05-181-105

Submitted by: Pat Dunn

Project Id: MUD WATER

Send to: CON AGRA-OAKDALE
554 S. YOSEMITE
OAKDALE, CA 95361

Date Received: 06/30/2005
Date Reported: 07/07/2005

Sample ID: 64-31-40

Lab Number: 54057

SOIL ANALYSIS REPORT

Detection Limit	Analyte	Level Found
50 mg/kg	Total Kjeldahl Nitrogen	1185 mg/kg
2 mg/kg	NH ₄ -N	BDL
0.1 %	Total Organic Carbon	1.16 %
0.1 %	Moisture	6.27 %
1.0 meq/100g	Cation Exchange Capacity	20.6 meq/100g
Calculated	C:N Ratio	10:1
Calculated	Total Nitrogen	1190 mg/kg

BDL - INDICATED THE LEVEL FOUND IS BELOW THE ESTABLISHED DETECTION LIMIT FOR THAT ANALYTE

A & L Western Agricultural Laboratories

Robert Butterfield
Laboratory Director

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization. © A & L Western Agri. Labs, Inc., 2001

A & L WESTERN AGRICULTURAL LABORATORIES, INC.
 1311 Woodland Avenue, Suite 1 • Modesto, California 95351 • (209) 529-4080



Report No: 05-181-105.

Account No: 5016

Submitted by: Pat Dunn

Project Id: MUD WATER

Send to: CON AGRA-OAKDALE
 554 S. YOSEMITE
 OAKDALE, CA 95361

Date Received: 06/30/2005
 Date Reported: 07/07/2005

Sample ID: 63-28-26

Lab Number: 54056

SOIL ANALYSIS REPORT

Detection Limit	Analyte	Level Found
50 mg/kg	Total Kjeldahl Nitrogen	1096 mg/kg
2 mg/kg	NH ₄ -N	BDL
0.1 %	Total Organic Carbon	0.81 %
0.1 %	Moisture	1.57 %
1.0 meq/100g	Cation Exchange Capacity	16.4 meq/100g
Calculated	C:N Ratio	7:1
Calculated	Total Nitrogen	1102 mg/kg

BDL - INDICATED THE LEVEL FOUND IS BELOW THE ESTABLISHED DETECTION LIMIT FOR THAT ANALYTE.

A & L Western Agricultural Laboratories

Robert Butterfield
 Laboratory Director

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization. © A & L Western Agri. Labs, Inc., 2001

A & L WESTERN AGRICULTURAL LABORATORIES, INC.
1311 Woodland Avenue, Suite 1 • Modesto, California 95351 • (209) 529-4080



Account No: 5016

Report No: 05-181-105

Submitted by: Pat Dunn

Project Id: MUD WATER

Send to: CON AGRA-OAKDALE
554 S. YOSEMITE
OAKDALE, CA 95361

Date Received: 06/30/2005
Date Reported: 07/07/2005

Sample ID: 63-28-11

Lab Number: 54055

SOIL ANALYSIS REPORT

Detection Limit	Analyte	Level Found
50 mg/kg	Total Kjeldahl Nitrogen	719 mg/kg
2 mg/kg	NH ₄ -N	BDL
0.1 %	Total Organic Carbon	0.59 %
0.1 %	Moisture	2.31 %
1.0 meq/100g	Cation Exchange Capacity	14.8 meq/100g
Calculated	C:N Ratio	8:1
Calculated	Total Nitrogen	721 mg/kg

BDL - INDICATED THE LEVEL FOUND IS BELOW THE ESTABLISHED DETECTION LIMIT FOR THAT ANALYTE.

A & L Western Agricultural Laboratories

Robert Butterfield
Laboratory Director

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization. © A & L Western Agr. Labs, Inc., 2001



A & L WESTERN AGRICULTURAL LABORATORIES, INC.
 1311 Woodland Avenue, Suite 1 • Modesto, California 95351 • (209) 529-4080

Report No: 05-181-105

Account No: 5016

Submitted by: Pat Dunn

Project ID: MUD WATER

Send to: CON AGRA-OAKDALE
 554 S. YOSEMITE
 OAKDALE, CA 95361

Date Received: 06/30/2005
 Date Reported: 07/22/2005

Lab Number: 54059

Sample ID: 02-59-04

503 METALS ANALYSIS REPORT

Detection Limit mg/kg	Analyte	Level Found mg/kg	Method Code
0.5	Arsenic	1.1	EPA SW846-6010
0.1	Cadmium	3.1	EPA SW846-6010
0.5	Chromium	12.4	EPA SW846-6010
0.1	Copper	4.9	EPA SW846-6010
1.2	Lead	17.1	EPA SW846-6010
0.05	Mercury	BDL	EPA SW846-7471A
1.0	Molybdenum	BDL	EPA SW846-6010
0.1	Nickel	2.9	EPA SW846-6010
5.5	Selenium	BDL	EPA SW846-6010
0.1	Zinc	24.1	EPA SW846-6010

BDL - INDICATES THE LEVEL FOUND IS BELOW THE ESTABLISHED DETECTION LIMIT FOR THAT ANALYTE.

A & L Western Agricultural Laboratories

Robert Butterfield
 Laboratory Director

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization. © A & L Western Agri. Labs, Inc., 2001



A & L WESTERN AGRICULTURAL LABORATORIES, INC.

1311 Woodland Avenue, Suite 1 • Modesto, California 95351 • (209) 529-4080

Report No: 05-181-105

Account No: 5016

Send to: CON AGRA-OAKDALE
554 S. YOSEMITE
OAKDALE, CA 95361

Project ID: MUD WATER

Submitted by: Pat Dunn

Date Received: 06/30/2005

Date Reported: 07/22/2005

Lab Number: 54058

Sample ID: 63-25-15

503 METALS ANALYSIS REPORT

Detection Limit mg/kg	Analyte	Level Found mg/kg	Method Code
0.5	Arsenic	1.8	EPA SW846-6010
0.1	Cadmium	2.5	EPA SW846-6010
0.5	Chromium	13.6	EPA SW846-6010
0.1	Copper	13.5	EPA SW846-6010
1.2	Lead	18.1	EPA SW846-6010
0.05	Mercury	BDL	EPA SW846-7471A
1.0	Molybdenum	BDL	EPA SW846-6010
0.1	Nickel	5.9	EPA SW846-6010
5.5	Selenium	BDL	EPA SW846-6010
0.1	Zinc	32.4	EPA SW846-6010

BDL - INDICATES THE LEVEL FOUND IS BELOW THE ESTABLISHED DETECTION LIMIT FOR THAT ANALYTE

A & L Western Agricultural Laboratories

Robert Butterfield
Laboratory Director

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization. © A & L Western Agri Labs, Inc., 2001



A & L WESTERN AGRICULTURAL LABORATORIES, INC.
 1311 Woodland Avenue, Suite 1 • Modesto, California 95351 • (209) 529-4080

Report No: 05-181-105

Account No: 5016

Submitted by: Pat Dunn

Send to: CON AGRA-OAKDALE
 554 S. YOSEMITE
 OAKDALE, CA 95361

Project ID: MUD WATER

Date Received: 06/30/2005
 Date Reported: 07/22/2005

Sample ID: 64-31-40

Lab Number: 54057

503 METALS ANALYSIS REPORT

Detection Limit mg/kg	Analyte	Level Found mg/kg	Method Code
0.5	Arsenic	1.5	EPA SW846-6010
0.1	Cadmium	2.6	EPA SW846-6010
0.5	Chromium	15.5	EPA SW846-6010
0.1	Copper	4.7	EPA SW846-6010
1.2	Lead	16.9	EPA SW846-6010
0.05	Mercury	BDL	EPA SW846-7471A
1.0	Molybdenum	BDL	EPA SW846-6010
0.1	Nickel	8.0	EPA SW846-6010
5.5	Selenium	BDL	EPA SW846-6010
0.1	Zinc	19.9	EPA SW846-6010

BDL - INDICATES THE LEVEL FOUND IS BELOW THE ESTABLISHED DETECTION LIMIT FOR THAT ANALYTE.

A & L Western Agricultural Laboratories

Robert Butterfield
 Laboratory Director

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization. © A & L Western Agri. Labs, Inc., 2001



A & L WESTERN AGRICULTURAL LABORATORIES, INC.
 1311 Woodland Avenue, Suite 1 • Modesto, California 95351 • (209) 529-4080

Report No: 05-181-105

Account No: 5016

Send to: CON AGRA-OAKDALE
 554 S. YOSEMITE
 OAKDALE, CA 95361

Project ID: MUD WATER

Submitted by: Pat Dunn

Date Received: 06/30/2005
 Date Reported: 07/22/2005

Lab Number: 54056

Sample ID: 63-28-26

503 METALS ANALYSIS REPORT

Detection Limit mg/kg	Analyte	Level Found mg/kg	Method Code
0.5	Arsenic	2.1	EPA SW846-6010
0.1	Cadmium	2.5	EPA SW846-6010
0.5	Chromium	13.3	EPA SW846-6010
0.1	Copper	7.0	EPA SW846-6010
1.2	Lead	15.7	EPA SW846-6010
0.05	Mercury	BDL	EPA SW846-7471A
1.0	Molybdenum	BDL	EPA SW846-6010
0.1	Nickel	2.2	EPA SW846-6010
5.5	Selenium	BDL	EPA SW846-6010
0.1	Zinc	26.0	EPA SW846-6010

BDL - INDICATES THE LEVEL FOUND IS BELOW THE ESTABLISHED DETECTION LIMIT FOR THAT ANALYTE.

A & L Western Agricultural Laboratories

Robert Butterfield
 Laboratory Director

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization. © A & L Western Agri. Labs, Inc., 2001



A & L WESTERN AGRICULTURAL LABORATORIES, INC.
1311 Woodland Avenue, Suite 1 • Modesto, California 95351 • (209) 529-4080

Report No: 05-181-105

Account No: 5016

Send to: CON AGRA-OAKDALE
554 S. YOSEMITE
OAKDALE, CA 95361

Project ID: MUD WATER

Submitted by: Pat Dunn

Date Received: 06/30/2005
Date Reported: 07/22/2005

Sample ID: 63-28-11

Lab Number: 54055

503 METALS ANALYSIS REPORT

Detection Limit mg/kg	Analyte	Level Found mg/kg	Method Code
0.5	Arsenic	1.9	EPA SW846-6010
0.1	Cadmium	2.4	EPA SW846-6010
0.5	Chromium	12.6	EPA SW846-6010
0.1	Copper	5.7	EPA SW846-6010
1.2	Lead	15.4	EPA SW846-6010
0.05	Mercury	BDL	EPA SW846-7471A
1.0	Molybdenum	BDL	EPA SW846-6010
0.1	Nickel	3.1	EPA SW846-6010
5.5	Selenium	BDL	EPA SW846-6010
0.1	Zinc	22.6	EPA SW846-6010

BDL - INDICATES THE LEVEL FOUND IS BELOW THE ESTABLISHED DETECTION LIMIT FOR THAT ANALYTE.

A & L Western Agricultural Laboratories

Robert Butterfield
Laboratory Director

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization. © A & L Western Agri. Labs, Inc., 2001